

## Kelly, Virginia

---

**From:** Longandassoc@aol.com  
**Sent:** Monday, September 22, 2008 1:00 PM  
**To:** Kelly, Virginia  
**Cc:** wword@imb.org  
**Subject:** Missionary Learning Center VPDES Permit # VA0067105

Ms. Kelly,

We have recently changed the dumping site for Missionary Learning Center VPDES Permit # VA0067105. We will no longer be using the Hanover County dumpsite located off of Richmond Road. We will be using the City of Richmond dumpsite located just off of I95 via the Murry Street exit. Our dumping permit # for the City of Richmond is 2947. I can send you a copy of the permit. I am in the process of making a route map that shows the route used from Missionary Learning Center to the dumpsite. I will get that to you once I have it completed. Please let me know if there is anything else you need or if you have any questions.

Thank you,

Christy Spain  
Office Manager  
Long and Associates  
office 804-769-7668  
fax 804-769-7667  
cell 804-212-7963  
longandassoc@aol.com

---

Looking for simple solutions to your real-life financial challenges? Check out [WalletPop](#) for the latest news and information, tips and calculators.

9/24/2008



## MEMORANDUM

### DEPARTMENT OF ENVIRONMENTAL QUALITY Piedmont Regional Office

4949-A Cox Road, Glen Allen, Virginia 23060-6295

804/527-5020

**TO:** Curt Linderman  
**FROM:** Gina Kelly  
**DATE:** March 27, 2008  
**SUBJECT:** Waiver Request for VA0067105 – Missionary Learning Center STP  
**COPIES:** File (R/W, right)

The permittee has requested a waiver from the Form 2A fecal coliform sampling with regards to the sample seasonality requirement (i.e. at least two samples must be taken at least four months apart). Please note the following:


- The facility is a discharger to South Anna River (in the York River Basin) and has a design flow rate of 0.040 or 0.065 MGD.
- The facility has provided data from three sample analyses for fecal coliform in the Form 2A; all samples were taken in the month of August.
- The reissued permit will require bacteria testing at a frequency of 2/Month to address a bacteria TMDL.
- Justifications cited for the waiver are:
  - (1) a review of the minimum chlorine concentrations does not indicate a disinfection problem; and
  - (2) sample results do not show concentrations of concern (reported <2N/ 100mL).

Due to an approved bacteria TMDL, this facility will have required bacteria monitoring with limitations; monitoring will occur, at minimum, twice per month. Accordingly, the spirit of the seasonality component of the bacteria testing will be captured in these new monitoring requirements and the associated limitations. Thus, I recommend waiving the timing requirement for the fecal coliform tests.

☒ Approved ☐ Denied

Comments:

*As recommended for this permit cycle, only.*

  
Signature

*3/28/08*  
Date

**Kelly, Virginia**

---

**From:** Kelly, Virginia  
**Sent:** Thursday, January 17, 2008 2:06 PM  
**To:** 'Longandassoc@aol.com'  
**Subject:** RE: MLC

That's all I need. The application appears to be administratively complete.

Thank you,  
Gina

-----Original Message-----

**From:** Longandassoc@aol.com [mailto:Longandassoc@aol.com]  
**Sent:** Thursday, January 17, 2008 2:02 PM  
**To:** Kelly, Virginia  
**Subject:** Re: MLC

Gina,

I have gone over your email with Cody and I can offer the following in response:

EPA Form 2A Part A, Item 9.f is should be marked **NO**. The facility has continuous flow, not intermittent.

VPDES Sludge Application ( Sludge Management Plant)  
Items B. 4 and 10 should both be marked **N/A**.

If I still need to have Cody sign and return with the corrections please let me know so that we can get that done right away. Our office will be closed starting January 24, 2008 at 3 PM and will not reopen until February 4, 2008. We will all be out of town on family vacation.


Thank you,

Christy Spain  
Office Manager  
Long and Associates  
office 804-769-7668  
fax 804-769-7667  
cell 804-212-7963

---

Start the year off right. Easy ways to stay in shape in the new year.

1/17/2008



RECEIVED

JAN 04 2008

PRO

# COMMONWEALTH of VIRGINIA

## DEPARTMENT OF ENVIRONMENTAL QUALITY

### PIEDMONT REGIONAL OFFICE

4949-A Cox Road, Glen Allen, Virginia 23060

(804) 527-5020 Fax (804) 527-5106

[www.deq.virginia.gov](http://www.deq.virginia.gov)

L. Preston Bryant, Jr.  
Secretary of Natural Resources

David K. Paylor  
Director

Gerard Seeley, Jr.  
Regional Director

December 11, 2007

Mr. Gary Beaty  
Missionary Learning Center WWTP  
16492 Missionary Learning Center Lane  
Rockville, VA 23146

RE: Reissuance of VPDES Permit No. VA0067105 for Missionary Learning Center WWTP

Dear Mr. Beaty:

The staff of Virginia's Department of Environmental Quality has reviewed the referenced application received on December 10, 2007.

On the EPA Form 2A, please clarify the following:

- Part A, Item 9.f – Please provide a response for this question.
- Part A, Item 11.b – Please indicate the design removals for total nitrogen and total phosphorus; if these values do not exist, please respond "n/a."
- Part A.12 – This item requires the results of three fecal coliform samples, two of which must be taken 4 – 8 months apart. Should you not be able to meet the timing requirements, DEQ could consider a waiver for this requirement if a waiver request were made.

With regards to the VPDES Sludge Application (Sludge Management Plan):

- The first page is missing; a copy of this page has been included with this correspondence.
- Item A.7 – Provide a description of the services provided by Cody Long.
- Item B.3.c – Please provide a response for this question.
- Items B.4, 5, 7, 8, 9, and 10 – Please review these questions and verify that they are not applicable.

✓ Please also sign and return the enclosed public notice authorization.

You are hereby requested to make the necessary corrections and provide the additional information in order to eliminate the deficiencies outlined above; a letter or email response is acceptable. Please provide the corrections and additional information by December 31, 2007.

If I can be of further assistance, please contact me at 804/527-5048 or [vekelly@deq.virginia.gov](mailto:vekelly@deq.virginia.gov).

Sincerely,

*Virginia Kelly*  
Virginia R. E. Kelly, EIT  
Environmental Engineer

*Proofread copy*  
**RECEIVED**

JAN 04 2008

**PRO**

**VPDES Permit Application Addendum**

**1. Entity to whom the permit is to be issued:**

International Mission Board

*Who will be legally responsible for the wastewater treatment facilities and compliance with the permit? This may or may not be the facility or property owner.*

**2. Is this facility located within city or town boundaries?** ~~xx~~ (N)

**3. What is the tax map parcel number for the land where this facility is located?** 7729-45-8653

**4. For the facility to be covered by this permit, how many acres will be disturbed during the next five years due to new construction activities?** None

**5. ALL FACILITIES: What is the design average flow of this facility?** .040 MGD  
**Industrial facilities: What is the max. 30-day avg. production level (include units)?** N/A

**In addition to the above design flow or production level, should the permit be written with limits for any other discharge flow tiers or production levels?** ~~xx~~ (N)

**If "Yes", please specify the other flow tiers (in MGD) or production levels:**

*Please consider: Is your facility's design flow considerably greater than your current flow? Do you plan to expand operations during the next five years?*

**6. Nature of operations generating wastewater:**

Domestic

100% of flow from domestic connections/sources

Number of private residences to be served by the wastewater treatment facilities: xx0    1-49    50 or more

  0 % of flow from non-domestic connections/sources

**7. Mode of discharge:** x Continuous    Intermittent    Seasonal

Describe frequency and duration of intermittent or seasonal discharges:

**8. Identify the characteristics of the receiving stream at the point just above the facility's discharge point:**

xx Permanent stream, never dry

   Intermittent stream, usually flowing, sometimes dry

   Ephemeral stream, wet-weather flow, often dry

   Effluent-dependent stream, usually or always dry

   Lake or pond at or below the discharge point

   Other: \_\_\_\_\_

**9. Approval Date(s):**

O & M Manual 09/20/00

Sludge/Solids Management Plan 09/20/00

Have there been any changes in your operations or procedures since the above approval dates? Y (N)

**10. What is the average hardness of the effluent that you discharge?** 8 mg/L

81 mg/L

*Corrected  
APR*

# LONG AND ASSOCIATES

10000 Old Dominion Road  
Suite 100  
Richmond, Virginia 23234  
Phone (804) 781-1100  
Fax (804) 781-1101  
www.longandassociates.com

January 3, 2008

Virginia R. E. Kelly, EIT  
Environmental Engineer  
Department of Environmental Quality  
Piedmont Regional Office  
4949-A Cox Road  
Glen Allen, Virginia 23060  
Phone (804) 527-5020  
Fax (804) 527-5106  
WWW.deq.virginia.gov

Ms. Virginia R.E. Kelly, EIT

Per item 7 of the sewage sludge permit application form the contractor Long and Associates Environmental is responsible for transporting the content of sludge holding tank from Missionary Learning Center Waste Water Treatment Plant to the sewage dump site located on Richfood Road in Hanover County as needed. Our permit number for that dump site is 001.

Sincerely,  
  
Cody Long  
Long and Associates Environmental

**RECEIVED**

JAN 04 2008

**PRO**

FACILITY NAME: Missionary Learning Center

VPDES PERMIT NUMBER: VA006710

VPDES SEWAGE SLUDGE PERMIT APPLICATION FORM

SCREENING INFORMATION

This application is divided into sections. Sections A pertain to all applicants. The applicability of Sections B, C and D depend on your facility's sewage sludge use or disposal practices. The information provided on this page will help you determine which sections to fill out.

1. All applicants must complete Section A (General Information).

2. Will this facility generate sewage sludge? ☒ Yes ☐ No

Will this facility derive a material from sewage sludge? ☐ Yes ☒ No

If you answered Yes to either, complete Section B (Generation Of Sewage Sludge Or Preparation Of A Material Derived From Sewage Sludge).

3. Will this facility apply sewage sludge to the land? ☐ Yes ☒ No

Will sewage sludge from this facility be applied to the land? ☐ Yes ☒ No

If you answered No to both questions above, skip Section C.

If you answered Yes to either, answer the following three questions:

a. Will the sewage sludge from this facility meet the ceiling concentrations, pollutant concentrations, Class A pathogen reduction requirements and one of the vector attraction reduction requirements 1-8, as identified in the instructions?  
☐ Yes ☐ No

b. Will sewage sludge from this facility be placed in a bag or other container for sale or give-away for application to the land? ☐ Yes ☒ No

c. Will sewage sludge from this facility be sent to another facility for treatment or blending? ☒ Yes ☐ No

If you answered No to all three, complete Section C (Land Application Of Bulk Sewage Sludge).

If you answered Yes to a, b or c, skip Section C.

4. Do you own or operate a surface disposal site? ☐ Yes ☐ No

If Yes, complete Section D (Surface Disposal).

RECEIVED

JAN 04 2008

PRO

**FACILITY NAME:** Missionary Learning Center

**VPDES PERMIT NUMBER:** VA 0067105

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name and official title Gary N. Beaty - Facilities Director

Signature \_\_\_\_\_ Date Signed \_\_\_\_\_

Telephone number (804) 620-3803

Upon request of the department, you must submit any other information necessary to assess sewage sludge use or disposal practices at your facility or identify appropriate permitting requirements.



Complete this section if your facility generates sewage sludge or derives a material from sewage sludge

1. Amount Generated On Site.  
Total dry metric tons per 365-day period generated at your facility: ~~dry metric tons~~ 40,000 gpy per year

2. Amount Received from Off Site. If your facility receives sewage sludge from another facility for treatment, use or disposal, provide the following information for each facility from which sewage sludge is received. If you receive sewage sludge from more than one facility, attach additional pages as necessary.

- a. Facility name: None  
b. Contact Person: \_\_\_\_\_  
Title: \_\_\_\_\_  
Phone ( ) \_\_\_\_\_  
c. Mailing address:  
Street or P.O. Box: \_\_\_\_\_  
City or Town: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_  
d. Facility Address: \_\_\_\_\_  
(not P.O. Box) \_\_\_\_\_  
e. Total dry metric tons per 365-day period received from this facility: \_\_\_\_\_ dry metric tons  
f. Describe, on this form or on another sheet of paper, any treatment processes known to occur at the off-site facility, including blending activities and treatment to reduce pathogens or vector attraction characteristics:  
\_\_\_\_\_  
\_\_\_\_\_

3. Treatment Provided at Your Facility.

- a. Which class of pathogen reduction is achieved for the sewage sludge at your facility?  
Class A Class B x Neither or unknown  
b. Describe, on this form or another sheet of paper, any treatment processes used at your facility to reduce pathogens in sewage sludge: None  
c. Which vector attraction reduction option is met for the sewage sludge at your facility?  
Option 1 (Minimum 38 percent reduction in volatile solids)  
Option 2 (Anaerobic process, with bench-scale demonstration)  
Option 3 (Aerobic process, with bench-scale demonstration)  
Option 4 (Specific oxygen uptake rate for aerobically digested sludge)  
Option 5 (Aerobic processes plus raised temperature)  
Option 6 (Raise pH to 12 and retain at 11.5)  
Option 7 (75 percent solids with no unstabilized solids)  
Option 8 (90 percent solids with unstabilized solids)  
x None or unknown  
d. Describe, on this form or another sheet of paper, any treatment processes used at your facility to reduce vector attraction properties of sewage sludge: None  
e. Describe, on this form or another sheet of paper, any other sewage sludge treatment activities, including blending, not identified in a - d above: None

\* 4. Preparation of Sewage Sludge Meeting Ceiling and Pollutant Concentrations, Class A Pathogen Requirements and One of Vector Attraction Reduction Options 1-8 (EQ Sludge).

(If sewage sludge from your facility does not meet all of these criteria, skip Question 4.)

- a. Total dry metric tons per 365-day period of sewage sludge subject to this section that is applied to the land: \_\_\_\_\_ dry metric tons  
b. Is sewage sludge subject to this section placed in bags or other containers for sale or give-away?  
Yes No

RECEIVED

JAN 04 2008

PRO

5. ☒ Sale or Give-Away in a Bag or Other Container for Application to the Land.

(Complete this question if you place sewage sludge in a bag or other container for sale or give-away prior to land application. Skip this question if sewage sludge is covered in Question 4.)

- a. Total dry metric tons per 365-day period of sewage sludge placed in a bag or other container at your facility for sale or give-away for application to the land: 0 dry metric tons
- b. Attach, with this application, a copy of all labels or notices that accompany the sewage sludge being sold or given away in a bag or other container for application to the land.

6. Shipment Off Site for Treatment or Blending.

(Complete this question if sewage sludge from your facility is sent to another facility that provides treatment or blending. This question does not apply to sewage sludge sent directly to a land application or surface disposal site. Skip this question if the sewage sludge is covered in Questions 4 or 5. If you send sewage sludge to more than one facility, attach additional sheets as necessary.)

a. Receiving facility name: Hanover County DPU Septage Receiving Facilityb. Facility contact: John CrossTitle: AttendantPhone: ( ) (804) 559-1954

c. Mailing address:

Street or P.O. Box: P.O. Box 470City or Town: Hanover State: VA Zip: 23069d. Total dry metric tons per 365-day period of sewage sludge provided to receiving facility: 40,000 gpy per year  
XXXXXX  
metric tons

e. List, on this form or an attachment, the receiving facility's VPDES permit number as well as the numbers of all other federal, state or local permits that regulate the receiving facility's sewage sludge use or disposal practices:

Permit Number:

None

Type of Permit:

f. Does the receiving facility provide additional treatment to reduce pathogens in sewage sludge from your facility? Yes ☒ No

Which class of pathogen reduction is achieved for the sewage sludge at the receiving facility?

Class AClass B☒ Neither or unknownDescribe, on this form or another sheet of paper, any treatment processes used at the receiving facility to reduce pathogens in sewage sludge: Noneg. Does the receiving facility provide additional treatment to reduce vector attraction characteristics of the sewage sludge? Yes ☒ No

Which vector attraction reduction option is met for the sewage sludge at the receiving facility?

Option 1 (Minimum 38 percent reduction in volatile solids)Option 2 (Anaerobic process, with bench-scale demonstration)Option 3 (Aerobic process, with bench-scale demonstration)Option 4 (Specific oxygen uptake rate for aerobically digested sludge)Option 5 (Aerobic processes plus raised temperature)Option 6 (Raise pH to 12 and retain at 11.5)Option 7 (75 percent solids with no unstabilized solids)Option 8 (90 percent solids with unstabilized solids)None unknownDescribe, on this form or another sheet of paper, any treatment processes used at the receiving facility to reduce vector attraction properties of sewage sludge: None

h. Does the receiving facility provide any additional treatment or blending not identified in f or g above?

Yes ☒ NoIf yes, describe, on this form or another sheet of paper, the treatment processes not identified in f or g above:  
None

i. If you answered yes to f., g or h above, attach a copy of any information you provide to the receiving facility to comply with the "notice and necessary information" requirement of 9 VAC 25-31-530.G.

RECEIVED

JAN 04 2008

PRO

FACILITY NAME: Missionary Learning Center

VPDES PERMIT NUMBER: VA 0067105

- j Does the receiving facility place sewage sludge from your facility in a bag or other container for sale or give-away for application to the land? Yes ☒ No  
If yes, provide a copy of all labels or notices that accompany the product being sold or given away.
- k Will the sewage sludge be transported to the receiving facility in a truck-mounted watertight tank normally used for such purposes? ☒ Yes No. If no, provide description and specification on the vehicle used to transport the sewage sludge to the receiving facility.  
Show the haul route(s) on a location map or briefly describe the haul route below and indicate the days of the week and the times of the day sewage sludge will be transported. From WWTP to South Nuckols to I295 South to Rt. 301 South, left on Richfood Lane then right to Barricade Lane. Monday - Friday 7:30 a.m. - 3:30 p.m.

\* 7. Land Application of Bulk Sewage Sludge.

(Complete Question 7.a if sewage sludge from your facility is applied to the land, unless the sewage sludge is covered in Questions 4, 5 or 6; complete Question 7.b, c & d only if you are responsible for land application of sewage sludge.)

- a. Total dry metric tons per 365-day period of sewage sludge applied to all land application sites: 0 dry metric tons
- b. Do you identify all land application sites in Section C of this application? Yes No  
If no, submit a copy of the Land Application Plan (LAP) with this application (LAP should be prepared in accordance with the instructions).
- c. Are any land application sites located in States other than Virginia? Yes No  
If yes, describe, on this form or on another sheet of paper, how you notify the permitting authority for the States where the land application sites are located. Provide a copy of the notification.
- d. Attach a copy of any information you provide to the owner or lease holder of the land application sites to comply with the "notice and necessary" information requirement of 9 VAC 25-31-530 F and/or H (Examples may be obtained in Appendix IV).

\* 8. Surface Disposal.

(Complete Question 8 if sewage sludge from your facility is placed on a surface disposal site.)

- a. Total dry metric tons per 365-day period of sewage sludge from your facility placed on all surface disposal sites: 0 dry metric tons
- b. Do you own or operate all surface disposal sites to which you send sewage sludge for disposal?  
Yes No  
If no, answer questions c - g for each surface disposal site that you do not own or operate. If you send sewage sludge to more than one surface disposal site, attach additional pages as necessary.
- c. Site name or number: \_\_\_\_\_
- d. Contact person: \_\_\_\_\_  
Title: \_\_\_\_\_  
Phone: ( ) \_\_\_\_\_  
Contact is: Site Owner Site operator
- e. Mailing address.  
Street or P.O. Box: \_\_\_\_\_  
City or Town: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_
- f. Total dry metric tons per 365-day period of sewage sludge from your facility placed on this surface disposal site: \_\_\_\_\_ dry metric tons
- g. List, on this form or an attachment, the surface disposal site VPDES permit number as well as the numbers of all other federal, state or local permits that regulate the sewage sludge use or disposal practices at the surface disposal site:  
Permit Number: \_\_\_\_\_ Type of Permit: \_\_\_\_\_

RECEIVED  
JAN 04 2006  
PRO

\* 9. Incineration.

(Complete Question 9 if sewage sludge from your facility is fired in a sewage sludge incinerator.)

- a. Total dry metric tons per 365-day period of sewage sludge from your facility fired in a sewage sludge incinerator: 0 dry metric tons

## WASTEWATER DISCHARGES:

If you answered "yes" to question A.8.a, complete questions A.9 through A.12 once for each outfall (including bypass points) through which effluent is discharged. Do not include information on combined sewer overflows in this section. If you answered "no" to question A.8.a, go to Part B, "Additional Application Information for Applicants with a Design Flow Greater than or Equal to 0.1 mgd."

## A.9. Description of Outfall.

- a. Outfall number 001
- b. Location Rockville 23146  
(City or town, if applicable) (Zip Code)  
Hanover Virginia  
(County) (State)  
37° - 74' - 57" N 77° - 66' - 42" W  
(Latitude) (Longitude)
- c. Distance from shore (if applicable) N/A ft.
- d. Depth below surface (if applicable) N/A ft.
- e. Average daily flow rate \_\_\_\_\_ mgd
- \* f. Does this outfall have either an intermittent or a periodic discharge? X Yes \_\_\_\_\_ No (go to A.9.g.)
- If yes, provide the following information:
- Number of times per year discharge occurs: \_\_\_\_\_
- Average duration of each discharge: \_\_\_\_\_
- Average flow per discharge: \_\_\_\_\_ mgd
- Months in which discharge occurs: \_\_\_\_\_
- g. Is outfall equipped with a diffuser? \_\_\_\_\_ Yes X No

## A.10. Description of Receiving Waters.

- a. Name of receiving water South Anna River
- b. Name of watershed (if known) York River
- United States Soil Conservation Service 14-digit watershed code (if known): \_\_\_\_\_
- c. Name of State Management/River Basin (if known): \_\_\_\_\_
- United States Geological Survey 8-digit hydrologic cataloging unit code (if known): \_\_\_\_\_
- d. Critical low flow of receiving stream (if applicable):  
acute \_\_\_\_\_ cfs chronic \_\_\_\_\_ cfs
- e. Total hardness of receiving stream at critical low flow (if applicable): \_\_\_\_\_ mg/l of CaCO<sub>3</sub>

RECEIVED  
JAN 04 2008  
PRO

RECEIVED

JAN 04 2008

PRO

A.11. Description of Treatment.

a. What levels of treatment are provided? Check all that apply.

Primary ☒ Secondary ☒  
Advanced ☐ Other. Describe: \_\_\_\_\_

b. Indicate the following removal rates (as applicable):

Design BOD<sub>5</sub> removal or Design CBOD<sub>5</sub> removal 90 %  
Design SS removal 90 %  
Design P removal N/A %  
Design N removal N/A %  
Other NH3 90 %

c. What type of disinfection is used for the effluent from this outfall? If disinfection varies by season, please describe.

Chlorination

If disinfection is by chlorination, is dechlorination used for this outfall? ☒ Yes ☐ No

d. Does the treatment plant have post aeration? ☒ Yes ☐ No

A.12. Effluent Testing Information. All Applicants that discharge to waters of the US must provide effluent testing data for the following parameters. Provide the indicated effluent testing required by the permitting authority for each outfall through which effluent is discharged. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analysis conducted using 40 CFR Part 136 methods. In addition, this data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136. At a minimum, effluent testing data must be based on at least three samples and must be no more than four and one-half years apart.

Outfall number: 001

PARAMETER	MAXIMUM DAILY VALUE		AVERAGE DAILY VALUE		
	Value	Units	Value	Units	Number of Samples
pH (Minimum)	7.0	s.u.			
pH (Maximum)	8.5	s.u.			
Flow Rate	0.044	MGD	0.016	MGD	365
Temperature (Winter)	12 <sup>o</sup>	Deg C	12	Deg C	3
Temperature (Summer)	24 <sup>o</sup>	Deg C	24	Deg C	3

\* For pH please report a minimum and a maximum daily value

POLLUTANT	MAXIMUM DAILY DISCHARGE		AVERAGE DAILY DISCHARGE			ANALYTICAL METHOD	ML / MDL
	Conc.	Units	Conc.	Units	Number of Samples		

CONVENTIONAL AND NONCONVENTIONAL COMPOUNDS.

BIOCHEMICAL OXYGEN DEMAND (Report one)	BOD-5						
	CBOD-5	22.0	MG/L	3.08	MG/L	12	5210 B
FECAL COLIFORM		< 2	MPN/100ML			3	9221E
TOTAL SUSPENDED SOLIDS (TSS)		6.2	MG/L	3.89	MG/L	12	160.2

END OF PART A.

REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM 2A YOU MUST COMPLETE

RECEIVED

JAN 04 2008

PRO

## LONG AND ASSOCIATES

10000 Old Dominion Road  
Suite 100  
P.O. Box 10000  
Richmond, VA 23261-1000  
Tel: (804) 781-1000  
Fax: (804) 781-1001  
www.longandassociates.com

January 3, 2008

Virginia R. E. Kelly, EIT  
Environmental Engineer  
Department of Environmental Quality  
Piedmont Regional Office  
4949-A Cox Road  
Glen Allen, Virginia 23060  
Phone (804) 527-5020  
Fax (804) 527-5106  
WWW.deq.virginia.gov

Ms. Virginia R.E. Kelly, EIT

We are requesting a waiver on the time element for the fecal coli form sampling. We have three separate samplings for the fecal coli form but are not within the time frame that is required. The three samples that we have are all in the same month and not spaced out the required four to eight months.

  
Cody Long  
Long and Associates Environmental



Long & Associates  
Attn: Cody Long  
P.O. Box 300  
Aylett, VA 23009-0300

Analytical Summary

10357 Old Keeton Road  
Ashland, Virginia 23005  
Phone 804 550 3971  
Fax 804 550 3828

Project Name : Missionary Learning Center  
Date Received: August 16, 2007  
Date Sampled : August 16, 2007  
Time Sampled : 11:31  
Date Issued : August 20, 2007

Lab # 1(A)/Sample ID	Final	Date/Time	Date/Time	
Parameter	Result	Units	DL	Prepared Analyzed Method Analyst
Fecal Coliform	2	MPN/100ml	2	08-16/1450 08-18/1455 9221E SET

BDL = Below Detection Limit  
All methods are 40 CFR 136 March 12, 2007, Table IB approved.  
Reference to Standard Methods is 18th ed.

  
Carrie E. Sisk  
QA Coordinator

R7874444-1

RECEIVED

JAN 04 2008

PRO



Analytical Summary

10357 Old Keeton Road  
Ashland, Virginia 23005  
Phone 804 550 3971  
Fax 804 550 3826

Long & Associates  
Attn: Cody Long  
P.O. Box 300  
Aylett, VA 23009-0300

Project Name : Missionary Learning Center  
Date Received: August 20, 2007  
Date Sampled : August 20, 2007  
Time Sampled : 13:45  
Date Issued : August 23, 2007

Lab # 1(A)/Sample ID	Final			Date/Time	Date/Time		
Parameter	Result	Units	DL	Prepared	Analyzed Method	Analyst	
Fecal Coliform	< 2	MPN/100ml	2	08-20/1535	08-22/1400 9221E	SET	

BDL = Below Detection Limit

All methods are 40 CFR 136 March 12, 2007, Table IB approved.  
Reference to Standard Methods is 18th ed.

Carrie E. Sisk  
Carrie E. Sisk  
QA Coordinator

R7874483-1

**RECEIVED**

IAN 04 2008





Long & Associates  
Attn: Cody Long  
P.O. Box 300  
Aylett, VA 23009-0300

Analytical Summary

10367 Old Keeton Road  
Ashland, Virginia 23005  
Phone 804 560 3871  
Fax 804 560 3826

Project Name : Missionary Learning Center  
Date Received: August 27, 2007  
Date Sampled : August 27, 2007  
Time Sampled : 10:40  
Date Issued : August 31, 2007

Lab #	1(A)/Sample ID	: Final			Date/Time Prepared	Date/Time Analyzed	Method	Analyst
Parameter	Result	Units	DL					
Fecal Coliform	< 2	MPN/100ml	2		08-27/1500	08-29/1425	9221E	SET

BDL = Below Detection Limit  
All methods are 40 CFR 136 March 12, 2007, Table 1B approved.  
Reference to Standard Methods is 18th ed.

Carrie E. Sisk  
Carrie E. Sisk  
QA Coordinator

R7874600-1

RECEIVED

JAN 04 2008

PRO



# COMMONWEALTH of VIRGINIA

## DEPARTMENT OF ENVIRONMENTAL QUALITY

PIEDMONT REGIONAL OFFICE

4949-A Cox Road, Glen Allen, Virginia 23060

(804) 527-5020 Fax (804) 527-5106

[www.deq.virginia.gov](http://www.deq.virginia.gov)

L. Preston Bryant, Jr.  
Secretary of Natural Resources

David K. Paylor  
Director

Gerard Seeley, Jr.  
Regional Director

RECEIVED

DEC 10 2007

PRO

July 3, 2007

Mr. Gary Beaty, Facility Director  
Missionary Learning Center WWTP  
16492 Missionary Learning Center Lane  
Rockville, Virginia 23146

RE: Reissuance of VPDES Permit No. VA0067105, Missionary Learning Center WWTP

Dear Mr. Beaty:

This letter is to remind you that your VPDES permit will expire on July 13, 2008. If you wish to continue discharging, you must reapply for the permit. The State Water Control Board's VPDES Permit Regulation requires that we receive a complete application at least 180 days before the existing permit expires. The deadline for submitting the application is January 13, 2008. Early submissions are welcome and will better enable us to complete processing before permit expiration. The instructions and application forms are enclosed.


If you would like to request a waiver from any of the sampling or testing requirements in the application forms, you must submit your application and a thorough justification for the request at least 240 days prior to the existing permit's expiration date. These waiver requests must be approved by DEQ and the U.S. EPA at least 180 days before the existing permit expires. DEQ will review your waiver request and, if it is justified, forward it to EPA. Failure to submit the waiver request by the 240 day deadline will result in the waiver being denied.

Upon completing the application, return the original and three copies to the Piedmont Regional Office at the above address and mail one copy to the Virginia Department of Health, Office of Water Programs, Environmental Engineering Field Office, 300 Turner Rd, Richmond, VA 23225.

Also note that DEQ has launched an e-DMR program that allows you to submit effluent data electronically. If you are interested in participating in this program please visit the following website for details: <http://www.deq.virginia.gov/water/edmrfaq.html>.

Please contact me at (804) 527-5081 or [cdchamberlain@deq.virginia.gov](mailto:cdchamberlain@deq.virginia.gov) if you have any questions.

Sincerely,

A handwritten signature in black ink, appearing to read 'Corwin Chamberlain', written in a cursive style.

Corwin Chamberlain  
Environmental Specialist II

Enclosures: Form 2A & Instructions  
Sludge Application & Instructions  
VPDES Permit Application Addendum  
Environmental Excellence Card  
Paper Work Reduction Act Notice

## VPDES Permit Application Addendum

**1. Entity to whom the permit is to be issued:**

International Mission Board

*Who will be legally responsible for the wastewater treatment facilities and compliance with the permit? This may or may not be the facility or property owner.*

**2. Is this facility located within city or town boundaries?** ☒ Yes / ☐ No

**3. What is the tax map parcel number for the land where this facility is located?** 7729-45-8653

**4. For the facility to be covered by this permit, how many acres will be disturbed during the next five years due to new construction activities?** None

**5. ALL FACILITIES: What is the design average flow of this facility?** .040 MGD

Industrial facilities: **What is the max. 30-day avg. production level (include units)?** N/A

**In addition to the above design flow or production level, should the permit be written with limits for any other discharge flow tiers or production levels?** ☒ Yes / ☐ No

**If "Yes", please specify the other flow tiers (in MGD) or production levels:**

*Please consider: Is your facility's design flow considerably greater than your current flow? Do you plan to expand operations during the next five years?*

**6. Nature of operations generating wastewater:**

Domestic

100% of flow from domestic connections/sources

Number of private residences to be served by the wastewater treatment facilities: ☒ 0 ☐ 1-49 ☐ 50 or more

0% of flow from non-domestic connections/sources

**7. Mode of discharge:** ☒ Continuous ☐ Intermittent ☐ Seasonal

Describe frequency and duration of intermittent or seasonal discharges:

**8. Identify the characteristics of the receiving stream at the point just above the facility's discharge point:**

☒ Permanent stream, never dry

☐ Intermittent stream, usually flowing, sometimes dry

☐ Ephemeral stream, wet-weather flow, often dry

☐ Effluent-dependent stream, usually or always dry

☐ Lake or pond at or below the discharge point

☐ Other: \_\_\_\_\_

**9. Approval Date(s):**

O & M Manual 09/20/00

Sludge/Solids Management Plan 09/20/00

Have there been any changes in your operations or procedures since the above approval dates? Y / ☒ N

**10. What is the average hardness of the effluent that you discharge?** 81 mg/L

**ADDENDUM**  
**Paperwork Reduction Act Notice**

Collection of this information is governed by the Paperwork Reduction Act, and has been approved by the Office of Management and Budget (OMB) in accordance with 5 CFR 1320. The OMB approval number is 2040-0086, expiring May 31, 1992. The public reporting burden for each Application for Permit to Discharge Wastewater is estimated as follows:

**Standard Form A**

Public reporting burden for this collection of information is estimated to be an average of 15 hours, including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

**Short Form A**

Public reporting burden for this collection of information is estimated to be an average of 1 hour, including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

**Form 1**

Public reporting burden for this collection of information is estimated to be an average of 3 hours, including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

**Form 2b**

Public reporting burden for this collection of information is estimated to be an average of 6 hours, including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

**Form 2c**

Public reporting burden for this collection of information is estimated to be a weighted average for all major and minor facilities of 33 hours, including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

**Form 2d**

Public reporting burden for this collection of information is estimated to vary from a range of 32 hours as an average per response for some minor facilities, to 46 hours as an average per response for some major facilities, with a weighted average for major and minor facilities of 33.2 hours per response, including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

**Form 2e**

Public reporting burden for this collection of information is estimated to be an average of 14 hours, including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

Send comments regarding these burden estimates or any other aspect of this collection, including suggestions for reducing this burden, to the Chief, Information Policy Branch, PM-223, U.S. Environmental Protection Agency, 401 M Street, SW, Washington, DC 20460; and to the Office of Information and Regulatory Affairs, Paperwork Reduction Act Project (2040-0086), Office of Management and Budget, Washington, DC 20503.

This addendum should accompany EPA Forms 7550-22, 7550-6, 3510-1, 3510-2B, 3510-2C, 3510-2D, and 3510-2E.

## SECTION A. GENERAL INFORMATION

All applicants must complete this section.

## 1. Facility Information.

- a. Facility name: Missionary Learning Center
- b. Contact person: William Word  
Title: Maintenance Manager  
Phone: ( ) (804) 620-3838
- c. Mailing address:  
Street or P.O. Box: 16492 MLC Lane  
City or Town: Rockville State: VA Zip: 23146
- d. Facility location:  
Street or Route #: 16492 MLC Lane  
County: Hanover  
City or Town: Rockville State: VA Zip: 23146
- e. Is this facility a Class I sludge management facility? Yes ☒ No
- f. Facility design flow rate: 0.04 mgd
- g. Total population served: 1370 MAX
- h. Indicate the type of facility:  
☐ Publicly owned treatment works (POTW)  
☒ Privately owned treatment works  
☐ Federally owned treatment works  
☐ Blending or treatment operation  
☐ Surface disposal site  
☐ Other (describe): \_\_\_\_\_

## 2. Applicant Information. If the applicant is different from the above, provide the following:

- a. Applicant name: N/A
- b. Mailing address:  
Street or P.O. Box: \_\_\_\_\_  
City or Town: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_
- c. Contact person: \_\_\_\_\_  
Title: \_\_\_\_\_  
Phone: ( ) \_\_\_\_\_
- d. Is the applicant the owner or operator (or both) of this facility?  
☐ owner ☐ operator
- e. Should correspondence regarding this permit be directed to the facility or the applicant? (Check one)  
☐ facility ☐ applicant

## 3. Permit Information.

- a. Facility's VPDES permit number (if applicable): VA 0067105
- b. List on this form or an attachment, all other federal, state or local permits or construction approvals received or applied for that regulate this facility's sewage sludge management practices:  
Permit Number: None Type of Permit: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

4. Indian Country. Does any generation, treatment, storage, application to land or disposal of sewage sludge from this facility occur in Indian Country? Yes ☒ No If yes, describe:  
\_\_\_\_\_


5. Topographic Map. Provide a topographic map or maps (or other appropriate maps if a topographic map is unavailable) that shows the following information. Maps should include the area one mile beyond all property boundaries of the facility:
- Location of all sewage sludge management facilities, including locations where sewage sludge is generated, stored, treated, or disposed.
  - Location of all wells, springs, and other surface water bodies listed in public records or otherwise known to the applicant within 1/4 mile of the property boundaries.
6. Line Drawing. Provide a line drawing and/or a narrative description that identifies all sewage sludge processes that will be employed during the term of the permit including all processes used for collecting, dewatering, storing, or treating sewage sludge, the destination(s) of all liquids and solids leaving each unit, and all methods used for pathogen reduction and vector attraction reduction.
7. Contractor Information. Are any operational or maintenance aspects of this facility related to sewage sludge generation, treatment, use or disposal the responsibility of a contractor? ☒ Yes ☐ No  
If yes, provide the following for each contractor (attach additional pages if necessary).  
Name: Cody Long, Long & Assoc. Environmental  
Mailing address:  
Street or P.O. Box: P.O. Box 300  
City or Town: Aylett State: VA Zip: 23009  
Phone: ( ) (804) 769-7668  
Contractor's Federal, State or Local Permit Number(s) applicable to this facility's sewage sludge:  
00-142-0031 H Transport Only  
If the contractor is responsible for the use and/or disposal of the sewage sludge, provide a description of the service to be provided to the applicant and the respective obligations of the applicant and the contractor(s).
8. Pollutant Concentrations. Using the table below or a separate attachment, provide sewage sludge monitoring data for the pollutants which limits in sewage sludge have been established in 9 VAC 25-31-10 et seq. for this facility's expected use or disposal practices. All data must be based on three or more samples taken at least one month apart and must be no more than four and one-half years old.

POLLUTANT	CONCENTRATION (mg/kg dry weight)	SAMPLE DATE	ANALYTICAL METHOD	DETECTION LEVEL FOR ANALYSIS
Arsenic				
Cadmium				
Chromium				
Copper				
Lead				
Mercury				
Molybdenum				
Nickel				
Selenium				
Zinc				

9. Certification. Read and submit the following certification statement with this application. Refer to the instructions to determine who is an officer for purposes of this certification. Indicate which parts of the application you have completed and are submitting:

☐ Section A (General Information)  
☐ Section B (Generation of Sewage Sludge or Preparation of a Material Derived from Sewage Sludge)  
☐ Section C (Land Application of Bulk Sewage Sludge)  
☐ Section D (Surface Disposal)





EXISTING  
OUTFALL 001

EXISTING WASTEWATER  
TREATMENT PLANT

MONTPELIER, VA. QUADRANGLE


HYLAS, VA. QUADRANGLE

WELLS

SOUTH  
MISSIONARY  
LEARNING  
CENTER

SCALE 1" = 2000'

PRIVATE HOMES ON WELLS



WASTEWATER TREATMENT PLANT  
FLOW DIAGRAM AND SLUDGE PROCESS

FACILITY NAME: Missionary Learning Center

VPDES PERMIT NUMBER: VA 0067105

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name and official title Gary N. Beaty - Facilities Director

Signature  Date Signed 12/6/07

Telephone number (804) 620-3803

Upon request of the department, you must submit any other information necessary to assess sewage sludge use or disposal practices at your facility or identify appropriate permitting requirements.

FACILITY NAME: Missionary Learning Center VPDES PERMIT NUMBER: VA 0067105

**SECTION B. GENERATION OF SEWAGE SLUDGE OR PREPARATION  
OF A MATERIAL DERIVED FROM SEWAGE SLUDGE**

Complete this section if your facility generates sewage sludge or derives a material from sewage sludge

1. Amount Generated On Site.  
Total dry metric tons per 365-day period generated at your facility: ~~dry metric tons~~ 40,000 gpy per year
  
2. Amount Received from Off Site. If your facility receives sewage sludge from another facility for treatment, use or disposal, provide the following information for each facility from which sewage sludge is received. If you receive sewage sludge from more than one facility, attach additional pages as necessary.
  - a. Facility name: None
  - b. Contact Person: \_\_\_\_\_  
Title: \_\_\_\_\_  
Phone ( ) \_\_\_\_\_
  - c. Mailing address: \_\_\_\_\_  
Street or P.O. Box: \_\_\_\_\_  
City or Town: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_
  - d. Facility Address: \_\_\_\_\_  
(not P.O. Box) \_\_\_\_\_
  - e. Total dry metric tons per 365-day period received from this facility: \_\_\_\_\_ dry metric tons
  - f. Describe, on this form or on another sheet of paper, any treatment processes known to occur at the off-site facility, including blending activities and treatment to reduce pathogens or vector attraction characteristics:  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_
  
3. Treatment Provided at Your Facility.
  - a. Which class of pathogen reduction is achieved for the sewage sludge at your facility?  
\_\_\_\_ Class A \_\_\_\_ Class B x Neither or unknown
  - b. Describe, on this form or another sheet of paper, any treatment processes used at your facility to reduce pathogens in sewage sludge: None
  - c. Which vector attraction reduction option is met for the sewage sludge at your facility?  
\_\_\_\_ Option 1 (Minimum 38 percent reduction in volatile solids)  
\_\_\_\_ Option 2 (Anaerobic process, with bench-scale demonstration)  
\_\_\_\_ Option 3 (Aerobic process, with bench-scale demonstration)  
\_\_\_\_ Option 4 (Specific oxygen uptake rate for aerobically digested sludge)  
\_\_\_\_ Option 5 (Aerobic processes plus raised temperature)  
\_\_\_\_ Option 6 (Raise pH to 12 and retain at 11.5)  
\_\_\_\_ Option 7 (75 percent solids with no unstabilized solids)  
\_\_\_\_ Option 8 (90 percent solids with unstabilized solids)  
\_\_\_\_ None or unknown
  - d. Describe, on this form or another sheet of paper, any treatment processes used at your facility to reduce vector attraction properties of sewage sludge: None
  - e. Describe, on this form or another sheet of paper, any other sewage sludge treatment activities, including blending, not identified in a - d above: None
  
4. Preparation of Sewage Sludge Meeting Ceiling and Pollutant Concentrations, Class A Pathogen Requirements and One of Vector Attraction Reduction Options 1-8 (EQ Sludge).  
(If sewage sludge from your facility does not meet all of these criteria, skip Question 4.)
  - a. Total dry metric tons per 365-day period of sewage sludge subject to this section that is applied to the land: \_\_\_\_\_ dry metric tons
  - b. Is sewage sludge subject to this section placed in bags or other containers for sale or give-away?  
\_\_\_\_ Yes \_\_\_\_ No

FACILITY NAME: Missionary Learning Center VPDES PERMIT NUMBER: VA 0067105

5. Sale or Give-Away in a Bag or Other Container for Application to the Land.

(Complete this question if you place sewage sludge in a bag or other container for sale or give-away prior to land application. Skip this question if sewage sludge is covered in Question 4.)

- a. Total dry metric tons per 365-day period of sewage sludge placed in a bag or other container at your facility for sale or give-away for application to the land: \_\_\_\_\_ dry metric tons
- b. Attach, with this application, a copy of all labels or notices that accompany the sewage sludge being sold or given away in a bag or other container for application to the land.

6. Shipment Off Site for Treatment or Blending.

(Complete this question if sewage sludge from your facility is sent to another facility that provides treatment or blending. This question does not apply to sewage sludge sent directly to a land application or surface disposal site. Skip this question if the sewage sludge is covered in Questions 4 or 5. If you send sewage sludge to more than one facility, attach additional sheets as necessary.)

- a. Receiving facility name: Hanover County DPU Septage Receiving Facility
- b. Facility contact: John Cross  
Title: Attendant  
Phone: ( ) (804) 559-1954
- c. Mailing address:  
Street or P.O. Box: P.O. Box 470  
City or Town: Hanover State: VA Zip: 23069
- d. Total dry metric tons per 365-day period of sewage sludge provided to receiving facility: 40,000 gpy per year  
~~XXXXXX~~
- e. List, on this form or an attachment, the receiving facility's VPDES permit number as well as the numbers of all other federal, state or local permits that regulate the receiving facility's sewage sludge use or disposal practices:  
Permit Number: \_\_\_\_\_ Type of Permit: \_\_\_\_\_  
None
- f. Does the receiving facility provide additional treatment to reduce pathogens in sewage sludge from your facility? Yes X No  
Which class of pathogen reduction is achieved for the sewage sludge at the receiving facility?  
Class A Class B X Neither or unknown  
Describe, on this form or another sheet of paper, any treatment processes used at the receiving facility to reduce pathogens in sewage sludge: None
- g. Does the receiving facility provide additional treatment to reduce vector attraction characteristics of the sewage sludge? Yes X No  
Which vector attraction reduction option is met for the sewage sludge at the receiving facility?  
Option 1 (Minimum 38 percent reduction in volatile solids)  
Option 2 (Anaerobic process, with bench-scale demonstration)  
Option 3 (Aerobic process, with bench-scale demonstration)  
Option 4 (Specific oxygen uptake rate for aerobically digested sludge)  
Option 5 (Aerobic processes plus raised temperature)  
Option 6 (Raise pH to 12 and retain at 11.5)  
Option 7 (75 percent solids with no unstabilized solids)  
Option 8 (90 percent solids with unstabilized solids)  
None unknown  
Describe, on this form or another sheet of paper, any treatment processes used at the receiving facility to reduce vector attraction properties of sewage sludge: None
- h. Does the receiving facility provide any additional treatment or blending not identified in f or g above?  
Yes X No  
If yes, describe, on this form or another sheet of paper, the treatment processes not identified in f or g above:  
None
- i. If you answered yes to f., g or h above, attach a copy of any information you provide to the receiving facility to comply with the "notice and necessary information" requirement of 9 VAC 25-31-530.G.

FACILITY NAME: Missionary Learning Center

VPDES PERMIT NUMBER: VA 0067105

- j. Does the receiving facility place sewage sludge from your facility in a bag or other container for sale or give-away for application to the land? Yes ☒ No  
If yes, provide a copy of all labels or notices that accompany the product being sold or given away.
- k. Will the sewage sludge be transported to the receiving facility in a truck-mounted watertight tank normally used for such purposes? ☒ Yes No. If no, provide description and specification on the vehicle used to transport the sewage sludge to the receiving facility.  
Show the haul route(s) on a location map or briefly describe the haul route below and indicate the days of the week and the times of the day sewage sludge will be transported. From WWTP to South Nuckols to 1295 South to Rt. 301 South, left on Richfood Lane then right to Barricade Lane. Monday - Friday 7:30 a.m. - 3:30 p.m.

7. Land Application of Bulk Sewage Sludge.

(Complete Question 7.a if sewage sludge from your facility is applied to the land, unless the sewage sludge is covered in Questions 4, 5 or 6; complete Question 7.b, c & d only if you are responsible for land application of sewage sludge.)

- a. Total dry metric tons per 365-day period of sewage sludge applied to all land application sites:        dry metric tons
- b. Do you identify all land application sites in Section C of this application? Yes No  
If no, submit a copy of the Land Application Plan (LAP) with this application (LAP should be prepared in accordance with the instructions).
- c. Are any land application sites located in States other than Virginia? Yes No  
If yes, describe, on this form or on another sheet of paper, how you notify the permitting authority for the States where the land application sites are located. Provide a copy of the notification.  
\_\_\_\_\_
- d. Attach a copy of any information you provide to the owner or lease holder of the land application sites to comply with the "notice and necessary" information requirement of 9 VAC 25-31-530 F and/or H (Examples may be obtained in Appendix IV).  
\_\_\_\_\_

8. Surface Disposal.

(Complete Question 8 if sewage sludge from your facility is placed on a surface disposal site.)

- a. Total dry metric tons per 365-day period of sewage sludge from your facility placed on all surface disposal sites:        dry metric tons
- b. Do you own or operate all surface disposal sites to which you send sewage sludge for disposal?  
Yes No  
If no, answer questions c - g for each surface disposal site that you do not own or operate. If you send sewage sludge to more than one surface disposal site, attach additional pages as necessary.
- c. Site name or number: \_\_\_\_\_
- d. Contact person: \_\_\_\_\_  
Title: \_\_\_\_\_  
Phone: (    ) \_\_\_\_\_  
Contact is: Site Owner Site operator
- e. Mailing address.  
Street or P.O. Box: \_\_\_\_\_  
City or Town: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_
- f. Total dry metric tons per 365-day period of sewage sludge from your facility placed on this surface disposal site:        dry metric tons
- g. List, on this form or an attachment, the surface disposal site VPDES permit number as well as the numbers of all other federal, state or local permits that regulate the sewage sludge use or disposal practices at the surface disposal site:  
Permit Number: \_\_\_\_\_ Type of Permit: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

9. Incineration.

(Complete Question 9 if sewage sludge from your facility is fired in a sewage sludge incinerator.)

- a. Total dry metric tons per 365-day period of sewage sludge from your facility fired in a sewage sludge incinerator:        dry metric tons

FACILITY NAME: Missionary Learning Center

VPDES PERMIT NUMBER: VA 0067105

- b. Do you own or operate all sewage sludge incinerators in which sewage sludge from your facility is fired?

     Yes      No

If no, answer questions c - g for each sewage sludge incinerator that you do not own or operate. If you send sewage sludge to more than one sewage sludge incinerator, attach additional pages as necessary.

- c. Incinerator name or number: \_\_\_\_\_

- d. Contact person: \_\_\_\_\_

Title: \_\_\_\_\_

Phone: (    ) \_\_\_\_\_

Contact is:      Incinerator Owner      Incinerator Operator

- e. Mailing address.

Street or P.O. Box: \_\_\_\_\_

City or Town: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

- f. Total dry metric tons per 365-day period of sewage sludge from your facility fired in this sewage sludge incinerator: \_\_\_\_\_ dry metric tons

- g. List on this form or an attachment the numbers of all other federal, state or local permits that regulate the firing of sewage sludge at this incinerator:

Permit Number:

Type of Permit:

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

10. Disposal in a Municipal Solid Waste Landfill.

(Complete Question 10 if sewage sludge from your facility is placed on a municipal solid waste landfill. Provide the following information for each municipal solid waste landfill on which sewage sludge from your facility is placed. If sewage sludge is placed on more than one municipal solid waste landfill, attach additional pages as necessary.)

- a. Landfill name: \_\_\_\_\_

- b. Contact person: \_\_\_\_\_

Title: \_\_\_\_\_

Phone: (    ) \_\_\_\_\_

Contact is:      Landfill Owner      Landfill Operator

- c. Mailing address.

Street or P.O. Box: \_\_\_\_\_

City or Town: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

- d. Landfill location.

Street or Route #: \_\_\_\_\_

County: \_\_\_\_\_

City or Town: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

- e. Total dry metric tons per 365-day period of sewage sludge placed in this municipal solid waste landfill: \_\_\_\_\_ dry metric tons

- f. List, on this form or an attachment, the numbers of all federal, state or local permits that regulate the operation of this municipal solid waste landfill:

Permit Number:

Type of Permit:

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

- g. Does sewage sludge meet applicable requirements in the Virginia Solid Waste Management Regulation, 9 VAC 20-80-10 et seq., concerning the quality of materials disposed in a municipal solid waste landfill?

     Yes      No

- h. Does the municipal solid waste landfill comply with all applicable criteria set forth in the Virginia Solid Waste Management Regulation, 9 VAC 20-80-10 et seq.?      Yes      No

- i. Will the vehicle bed or other container used to transport sewage sludge to the municipal solid waste landfill be watertight and covered?      Yes      No

Show the haul route(s) on a location map or briefly describe the route below and indicate the days of the week and time of the day sewage sludge will be transported. \_\_\_\_\_

\_\_\_\_\_

## SECTION C. LAND APPLICATION OF BULK SEWAGE SLUDGE

Complete this section for sewage sludge that is land applied unless any of the following conditions apply:

The sewage sludge meets the Table 1 ceiling concentrations, the Table 3 pollutant concentrations, Class A pathogen requirements and one of the vector attraction reduction options 1-8 (fill out B.4 instead) (EQ Sludge); or

The sewage sludge is sold or given away in a bag or other container for application to the land (fill out B.5 instead); or

You provide the sewage sludge to another facility for treatment or blending (fill out B.6 instead).

Complete Section C for every site on which the sewage sludge that you reported in B.7 is land applied.

## 1. Identification of Land Application Site.

- a. Site name or number: \_\_\_\_\_
- b. Site location (Complete i and ii)
- i. Street or Route#: \_\_\_\_\_
- County: \_\_\_\_\_
- City or Town: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_
- ii. Latitude: \_\_\_\_\_ Longitude: \_\_\_\_\_
- Method of latitude/longitude determination
- \_\_\_\_\_ USGS map \_\_\_\_\_ Filed survey \_\_\_\_\_ Other
- c. Topographic map. Provide a topographic map (or other appropriate map if a topographic map is unavailable) that shows the site location.

## 2. Owner Information.

- a. Are you the owner of this land application site? Yes No
- b. If no, provide the following information about the owner:
- Name: \_\_\_\_\_
- Street or P.O. Box: \_\_\_\_\_
- City or Town: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_
- Phone: ( ) \_\_\_\_\_

## 3. Applier Information:

- a. Are you the person who applies, or who is responsible for application of, sewage sludge to this land application site? Yes No
- b. If no, provide the following information for the person who applies the sewage sludge:
- Name: \_\_\_\_\_
- Street or P.O. Box: \_\_\_\_\_
- City or Town: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_
- Phone: ( ) \_\_\_\_\_
- c. List, on this form or an attachment, the numbers of all federal, state or local permits that regulate the person who applies sewage sludge to this land application site:
- | Permit Number: | Type of Permit: |
|----------------|-----------------|
| _____          | _____           |
| _____          | _____           |

## 4. Site Type. Identify the type of land application site from among the following:

- Agricultural land                         Reclamation site                         Forest
- Public contact site                         Other. Describe \_\_\_\_\_

## 5. Vector Attraction Reduction.

Are any vector attraction reduction requirements met when sewage sludge is applied to the land application site?

   Yes    No If yes, answer a and b.

- a. Indicate which vector attraction reduction option is met:
- Option 9 (Injection below land surface)
- Option 10 (Incorporation into soil within 6 hours)
- b. Describe, on this form or on another sheet of paper, any treatment processes used at the land application site to reduce the vector attraction properties of sewage sludge:
- \_\_\_\_\_
- \_\_\_\_\_



## 6. Cumulative Loadings and Remaining Allotments.

(Complete Question 6 only if the sewage sludge applied to this site since July 20, 1993 is subject to the cumulative pollutant loading rates (CPLRs) - see instructions.)

- a. Have you contacted DEQ or the permitting authority in the state where the sewage sludge subject to the CPLRs will be applied to ascertain whether bulk sewage sludge subject to the CPLRs has been applied to this site since July 20, 1993? Yes No

If no, sewage sludge subject to the CPLRs may not be applied to this site.

If yes, provide the following information:

Permitting authority: \_\_\_\_\_

Contact person: \_\_\_\_\_

Phone: ( ) \_\_\_\_\_

- b. Based upon this inquiry, has bulk sewage sludge subject to the CPLRs been applied to this site since July 20, 1993? Yes No If no, skip the rest of Question 6. If yes, answer questions c - e.

- c. Site size, in hectares: \_\_\_\_\_ (one hectare = 2.471 acres)

- d. Provide the following information for every facility other than yours that is sending or has sent sewage sludge subject to the CPLRs to this site since July 20, 1993. If more than one such facility sends sewage sludge to this site, attach additional pages as necessary.

Facility name: \_\_\_\_\_

Facility contact: \_\_\_\_\_

Title: \_\_\_\_\_

Phone: ( ) \_\_\_\_\_

Mailing address.

Street or P.O. Box: \_\_\_\_\_

City or Town: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

- e. Provide the total loading and allotment remaining, in kg/hectare, for each of the following pollutants:

	<u>Cumulative loading</u>	<u>Allotment remaining</u>
Arsenic	_____	_____
Cadmium	_____	_____
Copper	_____	_____
Lead	_____	_____
Mercury	_____	_____
Nickel	_____	_____
Selenium	_____	_____
Zinc	_____	_____

Complete Questions 7-12 below only if you apply sewage sludge, or you are responsible for land application of sewage sludge. Information required by these questions may be prepared as attachments to this form. Skip the following questions if you contract land application to someone else (as indicated under Section A.7) who is responsible for the operation.

7. Sludge Characterization. Use the table below or a separate attachment, provide at least one analysis for each parameter.

PCBs (mg/kg)	_____
pH (S. U.)	_____
Percent Solids (%)	_____
Ammonium Nitrogen (mg/kg)	_____
Nitrate Nitrogen (mg/kg)	_____
Total Kjeldahl Nitrogen (mg/kg)	_____
Total Phosphorus (mg/kg)	_____
Total Potassium (mg/kg)	_____
Alkalinity as CaCO <sub>3</sub> (mg/kg)	_____

\* Lime treated sludge (10% or more lime by dry weight) should be analyzed for percent CaCO<sub>3</sub>.

## 8. Storage Requirements.

Existing and proposed sludge storage facilities must provide an estimated annual sludge balance on a monthly basis incorporating such factors as storage capacity, sludge production and land application schedule. Include pertinent calculations justifying storage requirements.

Proposed sludge storage facilities must also provide the following information:

a. A sludge storage site layout on a 7.5 minute topographic quadrangle or other appropriate scaled map to show the following topographic features of the surrounding landscape to a distance of 0.25 mile. Clearly mark the property line.

- 1) Water wells, abandoned or operating
- 2) Surface waters
- 3) Springs
- 4) Public water supply(s)
- 5) Sinkholes
- 6) Underground and/or surface mines
- 7) Mine pool (or other) surface water discharge points
- 8) Mining spoil piles and mine dumps
- 9) Quarry(s)
- 10) Sand and gravel pits
- 11) Gas and oil wells
- 12) Diversion ditch(s)
- 13) Agricultural drainage ditch(s)
- 14) Occupied dwellings, including industrial and commercial establishments
- 15) Landfills or dumps
- 16) Other unlined impoundments
- 17) Septic tanks and drainfields
- 18) Injection wells
- 19) Rock outcrops

b. A topographic map of sufficient detail to clearly show the following information:

- 1) Maximum and minimum percent slopes
- 2) Depressions on the site that may collect water
- 3) Drainageways that may attribute to rainfall run-on to or runoff from this site
- 4) Portions of the site (if any) which are located with the 100-year floodplain and how the storage facility will be protected from flooding

c. Data and specifications for the storage facility lining material.

d. Plan and cross-sectional views of the storage facility.

e. Depth from the bottom of the storage facility to the seasonal high water table and separation distance to the permanent water table.

9. Land Area Requirements. Provide calculations justifying the land area requirements for land application of sewage sludge taking into consideration average soil productivity group, crop(s) to be grown and most limiting factor(s) of the sewage sludge, specifically Plant Available Nitrogen (PAN), Calcium Carbonate Equivalence (CCE), and metal loadings (CPLR sewage sludge only), where applicable. Relate PAN, CCE, and metal loadings to demonstrate the most limiting factor for land application.

10. Landowner Agreement Forms. Provide a properly completed Sewage Sludge Application Agreement Form (attached) for each landowner if sewage sludge is to be applied onto land not owned by the applicant.

## 11. Ground Water Monitoring.

Are any ground water monitoring data available for this land application site? ☐ Yes ☐ No

If yes, submit the ground water monitoring data with this permit application. Also submit a written description of the well locations, approximate depth to ground water, and the ground water monitoring procedures used to obtain these data.

## 12. Land Application Site Information.

(Complete Items a-d for sites receiving infrequent application - land application of sewage sludge up to the agronomic rate at a frequency of once in a 3 year period; complete Items a-h for sites receiving frequent application - land application of sewage sludge in excess of 70% the agronomic rate at a frequency greater than once in a 3 year period)

- a. Provide a general location map for each county which clearly indicates the location of all the land application sites.
- b. For each land application site provide a site plan of sufficient detail to clearly show the concerned landscape features and associated buffer zones (See instructions). Provide a legend for each landscape feature and the net acreage for each field taking into account the proposed buffer zones.
- c. In order to ensure that land application of bulk sewage sludge will not impact federally listed threatened or endangered species or federally designated critical habitat, the applicant must notify the field office of the U. S. Department of the Interior, Fish and Wildlife Service (FWS), by a letter, the proposed land application activities with the identification of the land application sites. The address and phone number of FWS are provided below.

U. S. Fish and Wildlife Service  
Virginia Field Office  
P. O. Box 480  
White Marsh, VA 23183  
TEL: (804)693-6694

Provide a copy of the notification letter with this application form.

- d. Provide a soil survey map, preferably photographically based, with the field boundaries clearly marked. (A USDA-SCS soil survey map should be provided, if available.)  
Provide a detailed legend for each soil survey map which uses accepted USDA-SCS descriptions of the typifying pedon for each soil series (soil type). Complex associations may be described as a range of characteristics. Soil descriptions shall include as a minimum the following information.
  - 1) Soil symbol
  - 2) Soil series, textural phase and slope range
  - 3) Depth to seasonal high water table
  - 4) Depth to bedrock
  - 5) Estimated soil productivity group (for the proposed crop rotation)

**Item e - h are required for sites receiving frequent application of sewage sludge**

- e. In order to verify the information provided in item d, characterize the soil at each land application site. Representative soil borings or test pits to a depth of five feet or to bedrock if shallower, are to be coordinated for the typifying pedon of each soil series (soil type). Soil descriptions shall include as a minimum the following information:
  - 1). Soil symbol
  - 2). Soil series, textural phase and slope range
  - 3). Depth to seasonal high water table
  - 4). Depth to bedrock
  - 5). Estimated soil productivity group (for the proposed crop rotation)

- f. Collect and analyze soil samples from each field, weighted to best represent each of the soil borings performed for Item e. Using the table below or a separate attachment, provide at least one analysis per sample for each of the following parameters.

Soil Organic Matter (%)	_____
Soil pH (std. units)	_____
Cation Exchange Capacity (meq/100g)	_____
Total Nitrogen (ppm)	_____
Organic Nitrogen (ppm)	_____
Ammonia Nitrogen (ppm)	_____
Nitrate Nitrogen (ppm)	_____
Available Phosphorus (ppm)	_____
Exchangeable Potassium (mg/100g)	_____
Exchangeable Sodium (mg/100g)	_____
Exchangeable Calcium (mg/100g)	_____
Exchangeable Magnesium (mg/100g)	_____
Arsenic (ppm)	_____
Cadmium (ppm)	_____
Copper (ppm)	_____
Lead (ppm)	_____
Mercury (ppm)	_____
Molybdenum (ppm)	_____
Nickel (ppm)	_____
Selenium (ppm)	_____
Zinc (ppm)	_____
Manganese (ppm)	_____
Particle Size Analysis or	
USDA Textural Estimate (%)	_____

- g. Relate the crop nutrient needs to anticipated yields, soil productivity rating and the various fertilizer or nutrient sources from sludge and chemical fertilizers. Describe any specialized agronomic management practices which may be required as a result of high soil pH. If the sludge is expected to possess an unusually high CCE or other unusual properties, provide a description of any plant tissue testing, supplemental fertilization or intensive agronomic management practices which may be necessary.
- h. Using a narrative format and referencing any related charts, describe the proposed cropping system. Show how the crop rotation and management will be coordinated with the design of the land application system. Include any supplemental fertilization program, soil testing and the coordination of tillage practices, planting and harvesting schedules and timing of land application.

## SEWAGE SLUDGE APPLICATION AGREEMENT

This sewage sludge application agreement is made on this date \_\_\_\_\_ between \_\_\_\_\_, referred to here as "landowner", and \_\_\_\_\_, referred to here as the "Permittee".

Landowner is the owner of agricultural land shown on the map attached as Exhibit A and designated there as \_\_\_\_\_ ("landowner's land"). Permittee agrees to apply and landowner agrees to comply with certain permit requirements following application of sewage sludge on landowner's land in amounts and in a manner authorized by VPDES permit number \_\_\_\_\_ which is held by the Permittee.

Landowner acknowledges that the appropriate application of sewage sludge will be beneficial in providing fertilizer and soil conditioning to the property. Moreover, landowner acknowledges having been expressly advised that, in order to protect public health, the following site restrictions must be adhered to when sewage sludge receives Class B treatment for pathogen reduction:

1. Food crops with harvested parts that touch the sewage sludge/soil mixture and are totally above the land surface shall not be harvested for 14 months after application of sewage sludge;
2. Food crops with harvested parts below the surface of the land shall not be harvested for 20 months after application of sewage sludge when the sewage sludge remains on the land surface for four months or longer prior to incorporation into the soil;
3. Food crops with harvested parts below the surface of the land shall not be harvested for 38 months after application of sewage sludge when the sewage sludge remains on the land surface for less than four months prior to incorporation into the soil;
4. Food crops, feed crops, and fiber crops shall not be harvested for 30 days after application of sewage sludge;
5. Animals shall not be grazed on the land for 30 days after application of sewage sludge;
6. Turf grown on land where sewage sludge is applied shall not be harvested for one year after application of the sewage sludge when the harvested turf is placed on either land with a high potential for public exposure or a lawn, unless otherwise specified by the State Water Control Board;
7. Public access to land with a high potential for public exposure shall be restricted for one year after application of sewage sludge;
8. Public access to land with a low potential for public exposure shall be restricted for 30 days after application of sewage sludge.
9. Tobacco, because it has been shown to accumulate cadmium, should not be grown on landowner's land for three years following the application of sewage sludge borne cadmium equal to or exceeding 0.5 kilograms/hectare (0.45 pounds/acre).

Permittee agrees to notify landowner or landowner's designee of the proposed schedule for sewage sludge application and specifically prior to any particular application to landowner's land. This agreement may be terminated by either party upon written notice to the address specified below.

Landowner:

Permittee:

\_\_\_\_\_  
Signature\_\_\_\_\_  
Signature\_\_\_\_\_  
Mailing Address\_\_\_\_\_  
Mailing Address

## SECTION D. SURFACE DISPOSAL

Complete this section only if you own or operate a surface disposal site. Provide the information for each active sewage sludge unit.

## 1. Information on Active Sewage Sludge Units.

- a. Unit name or number: \_\_\_\_\_
- b. Unit location
- i. Street or Route#: \_\_\_\_\_  
County: \_\_\_\_\_  
City or Town: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_
- ii. Latitude: \_\_\_\_\_ Longitude: \_\_\_\_\_  
Method of latitude/longitude determination  
\_\_\_\_\_ USGS map \_\_\_\_\_ Filed survey \_\_\_\_\_ Other \_\_\_\_\_
- c. Topographic map. Provide a topographic map (or other appropriate map if a topographic map is unavailable) that shows the site location.
- d. Total dry metric tons of sewage sludge placed on the active sewage sludge unit per 365-day period: \_\_\_\_\_ dry metric tons.
- e. Total dry metric tons of sewage sludge placed on the active sewage sludge unit over the life of the unit: \_\_\_\_\_ dry metric tons.
- f. Does the active sewage sludge unit have a liner with a minimum hydraulic conductivity of  $1 \times 10^{-7}$  cm/sec? ☐ Yes ☐ No If yes, describe the liner or attach a description.  
\_\_\_\_\_  
\_\_\_\_\_
- g. Does the active sewage sludge unit have a leachate collection system? ☐ Yes ☐ No  
If yes, describe the leachate collection system or attach a description. Also, describe the method used for leachate disposal and provide the numbers of any federal, state or local permits for leachate disposal:  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_
- h. If you answered no to either f or g, answer the following:  
Is the boundary of the active sewage sludge unit less than 150 meters from the property line of the surface disposal site? ☐ Yes ☐ No If yes, provide the actual distance in meters: \_\_\_\_\_
- i. Remaining capacity of active sewage sludge unit, in dry metric tons: \_\_\_\_\_ dry metric tons  
Anticipated closure date for active sewage sludge unit, if known: \_\_\_\_\_ (MM/DD/YYYY)  
Provide with this application a copy of any closure plan developed for this active sewage sludge unit.

## 2. Sewage Sludge from Other Facilities.

Is sewage sludge sent to this active sewage sludge unit from any facilities other than yours? ☐ Yes ☐ No  
If yes, provide the following information for each such facility, attach additional sheets as necessary.

- a. Facility name: \_\_\_\_\_
- b. Facility contact: \_\_\_\_\_  
Title: \_\_\_\_\_  
Phone: ( ) \_\_\_\_\_
- c. Mailing address.  
Street or P.O. Box: \_\_\_\_\_  
City or Town: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_
- d. List, on this form or an attachment, the facility's VPDES permit number as well as the numbers of all other federal, state or local permits that regulate the facility's sewage sludge management practices:  
Permit Number: \_\_\_\_\_ Type of Permit: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_
- e. Which class of pathogen reduction is achieved before sewage sludge leaves the other facility?  
☐ Class A ☐ Class B ☐ Neither or unknown
- f. Describe, on this form or on another sheet of paper, any treatment processes used at the other facility to reduce pathogens in sewage sludge: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

g. Which vector attraction reduction option is achieved before sewage sludge leaves the other facility?

- ☐ Option 1 (Minimum 38 percent reduction in volatile solids)  
☐ Option 2 (Anaerobic process, with bench-scale demonstration)  
☐ Option 3 (Aerobic process, with bench-scale demonstration)  
☐ Option 4 (Specific oxygen uptake rate for aerobically digested sludge)  
☐ Option 5 (Aerobic processes plus raised temperature)  
☐ Option 6 (Raise pH to 12 and retain at 11.5)  
☐ Option 7 (75 percent solids with no unstabilized solids)  
☐ Option 8 (90 percent solids with unstabilized solids)  
☐ None or unknown

h. Describe, on this form or another sheet of paper, any treatment processes used at the other facility to reduce vector attraction properties of sewage sludge: \_\_\_\_\_  
\_\_\_\_\_i. Describe, on this form or another sheet of paper, any other sewage sludge treatment activities performed by the other facility that are not identified in e - h above: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

## 3. Vector Attraction Reduction.

a. Which vector attraction reduction option, if any, is met when sewage sludge is placed on this active sewage sludge unit?

- ☐ Option 9 (Injection below land surface)  
☐ Option 10 (Incorporation into soil within 6 hours)  
☐ Option 11 (Covering active sewage sludge unit daily)

b. Describe, on this form or another sheet of paper, any treatment processes used at the active sewage sludge unit to reduce vector attraction properties of sewage sludge: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

## 4. Ground Water Monitoring.

a. Is ground water monitoring currently conducted at this active sewage sludge unit or are ground water monitoring data otherwise available for this active sewage sludge unit? ☐ Yes ☐ No  
If yes, provide a copy of available ground water monitoring data. Also provide a written description of the well locations, the approximate depth to ground water, and the ground water monitoring procedures used to obtain these data.b. Has a ground water monitoring program been prepared for this active sewage sludge unit?  
☐ Yes ☐ No If yes, submit a copy of the ground water monitoring program with this application.c. Have you obtained a certification from a qualified ground water scientist that the aquifer below the active sewage sludge unit has not been contaminated? ☐ Yes ☐ No  
If yes, submit a copy of the certification with this application.

## 5. Site-Specific Limits.

Are you seeking site-specific pollutant limits for the sewage sludge placed on the active sewage sludge unit?

☐ Yes ☐ No If yes, submit information to support the request for site-specific pollutant limits with this application.

Missionary Learning Center

FORM  
**2A**  
NPDES**NPDES FORM 2A APPLICATION OVERVIEW****APPLICATION OVERVIEW**

Form 2A has been developed in a modular format and consists of a "Basic Application Information" packet and a "Supplemental Application Information" packet. The Basic Application Information packet is divided into two parts. All applicants must complete Parts A and C. Applicants with a design flow greater than or equal to 0.1 mgd must also complete Part B. Some applicants must also complete the Supplemental Application Information packet. The following items explain which parts of Form 2A you must complete.

**BASIC APPLICATION INFORMATION:**

- A. Basic Application Information for all Applicants.** All applicants must complete questions A.1 through A.8. A treatment works that discharges effluent to surface waters of the United States must also answer questions A.9 through A.12.
- B. Additional Application Information for Applicants with a Design Flow  $\geq$  0.1 mgd.** All treatment works that have design flows greater than or equal to 0.1 million gallons per day must complete questions B.1 through B.6.
- C. Certification.** All applicants must complete Part C (Certification).

**SUPPLEMENTAL APPLICATION INFORMATION:**

- D. Expanded Effluent Testing Data.** A treatment works that discharges effluent to surface waters of the United States and meets one or more of the following criteria must complete Part D (Expanded Effluent Testing Data):
  - 1. Has a design flow rate greater than or equal to 1 mgd,
  - 2. Is required to have a pretreatment program (or has one in place), or
  - 3. Is otherwise required by the permitting authority to provide the information.
- E. Toxicity Testing Data.** A treatment works that meets one or more of the following criteria must complete Part E (Toxicity Testing Data):
  - 1. Has a design flow rate greater than or equal to 1 mgd,
  - 2. Is required to have a pretreatment program (or has one in place), or
  - 3. Is otherwise required by the permitting authority to submit results of toxicity testing.
- F. Industrial User Discharges and RCRA/CERCLA Wastes.** A treatment works that accepts process wastewater from any significant industrial users (SIUs) or receives RCRA or CERCLA wastes must complete Part F (Industrial User Discharges and RCRA/CERCLA Wastes). SIUs are defined as:
  - 1. All industrial users subject to Categorical Pretreatment Standards under 40 Code of Federal Regulations (CFR) 403.6 and 40 CFR Chapter I, Subchapter N (see instructions); and
  - 2. Any other industrial user that:
    - a. Discharges an average of 25,000 gallons per day or more of process wastewater to the treatment works (with certain exclusions); or
    - b. Contributes a process wastestream that makes up 5 percent or more of the average dry weather hydraulic or organic capacity of the treatment plant; or
    - c. Is designated as an SIU by the control authority.
- G. Combined Sewer Systems.** A treatment works that has a combined sewer system must complete Part G (Combined Sewer Systems).

**ALL APPLICANTS MUST COMPLETE PART C (CERTIFICATION)**



Missionary Learning Center

**BASIC APPLICATION INFORMATION****PART A. BASIC APPLICATION INFORMATION FOR ALL APPLICANTS:**

All treatment works must complete questions A.1 through A.8 of this Basic Application Information packet.

**A.1. Facility Information.**

Facility name Missionary Learning Center

Mailing Address 16492 MLC Lane  
Rockville, VA 23146

Contact person William Word

Title Maintenance Manager

Telephone number (804) 620-3838

Facility Address 16492 MLC Lane  
(not P.O. Box) Rockville, VA 23146

**A.2. Applicant Information.** If the applicant is different from the above, provide the following:

Applicant name \_\_\_\_\_

Mailing Address \_\_\_\_\_  
\_\_\_\_\_

Contact person \_\_\_\_\_

Title \_\_\_\_\_

Telephone number \_\_\_\_\_

Is the applicant the owner or operator (or both) of the treatment works?

☒ owner ☐ operator

Indicate whether correspondence regarding this permit should be directed to the facility or the applicant.

☒ facility ☐ applicant**A.3. Existing Environmental Permits.** Provide the permit number of any existing environmental permits that have been issued to the treatment works (include state-issued permits).

NPDES VA 0067105 PSD \_\_\_\_\_

UIC \_\_\_\_\_ Other \_\_\_\_\_

RCRA \_\_\_\_\_ Other \_\_\_\_\_

**A.4. Collection System Information.** Provide information on municipalities and areas served by the facility. Provide the name and population of each entity and, if known, provide information on the type of collection system (combined vs. separate) and its ownership (municipal, private, etc.).

Name	Population Served	Type of Collection System	Ownership
<u>Missionary Learning Ctr.</u>	<u>1,370</u>	<u>Private Sanitary</u>	<u>Foreign Mission</u>
_____	_____	<u>Sewer</u>	<u>Board of the</u>
_____	_____	_____	<u>Southern Baptist</u>
			<u>Convention</u>
Total population served	<u>1,370</u>		

**A.5. Indian Country.**

- a. Is the treatment works located in Indian Country?

☐ Yes ☒ No

- b. Does the treatment works discharge to a receiving water that is either in Indian Country or that is upstream from (and eventually flows through) Indian Country?

☐ Yes ☒ No**A.6. Flow.** Indicate the design flow rate of the treatment plant (i.e., the wastewater flow rate that the plant was built to handle). Also provide the average daily flow rate and maximum daily flow rate for each of the last three years. Each year's data must be based on a 12-month time period with the 12th month of "this year" occurring no more than three months prior to this application submittal.

- a. Design flow rate
- 0.04
- mgd

	<u>Two Years Ago</u>	<u>Last Year</u>	<u>This Year</u>	
b. Annual average daily flow rate	<u>.013</u>	<u>.010</u>	<u>0.016</u>	mgd
c. Maximum daily flow rate	<u>.049</u>	<u>.043</u>	<u>0.044</u>	mgd

**A.7. Collection System.** Indicate the type(s) of collection system(s) used by the treatment plant. Check all that apply. Also estimate the percent contribution (by miles) of each.

☒ Separate sanitary sewer 100 %

☐ Combined storm and sanitary sewer \_\_\_\_\_ %

**A.8. Discharges and Other Disposal Methods.**

- a. Does the treatment works discharge effluent to waters of the U.S.?
- ☒
- Yes
- ☐
- No

If yes, list how many of each of the following types of discharge points the treatment works uses:

i. Discharges of treated effluent	<u>1</u>
ii. Discharges of untreated or partially treated effluent	<u>0</u>
iii. Combined sewer overflow points	<u>0</u>
iv. Constructed emergency overflows (prior to the headworks)	<u>0</u>
v. Other _____	<u>0</u>

- b. Does the treatment works discharge effluent to basins, ponds, or other surface impoundments that do not have outlets for discharge to waters of the U.S.?
- ☐
- Yes
- ☒
- No

If yes, provide the following for each surface impoundment:

Location: N/AAnnual average daily volume discharged to surface impoundment(s) N/A mgdIs discharge ☐ continuous or ☐ intermittent?

- c. Does the treatment works land-apply treated wastewater?
- ☐
- Yes
- ☒
- No

If yes, provide the following for each land application site:

Location: \_\_\_\_\_

Number of acres: \_\_\_\_\_

Annual average daily volume applied to site: \_\_\_\_\_ Mgd

Is land application ☐ continuous or ☐ intermittent?

- d. Does the treatment works discharge or transport treated or untreated wastewater to another treatment works?
- ☐
- Yes
- ☒
- No

## Missionary Learning Center

If yes, describe the mean(s) by which the wastewater from the treatment works is discharged or transported to the other treatment works (e.g., tank truck, pipe).

If transport is by a party other than the applicant, provide:

Transporter name: N/A

Mailing Address:

Contact person:

Title:

Telephone number:

For each treatment works that receives this discharge, provide the following:

Name: N/A

Mailing Address:

Contact person:

Title:

Telephone number:

If known, provide the NPDES permit number of the treatment works that receives this discharge.

Provide the average daily flow rate from the treatment works into the receiving facility.

mgd

- e. Does the treatment works discharge or dispose of its wastewater in a manner not included in A.8.a through A.8.d above (e.g., underground percolation, well injection)?

Yes

X

No

If yes, provide the following for each disposal method:

Description of method (including location and size of site(s) if applicable):

Annual daily volume disposed of by this method:

Is disposal through this method

continuous or

intermittent?

FACILITY NAME AND PERMIT NUMBER: VA 0067105  
Missionary Learning Center

Form Approved 1/14/99  
OMB Number 2040-0086

**WASTEWATER DISCHARGES:**

If you answered "yes" to question A.8.a, complete questions A.9 through A.12 once for each outfall (including bypass points) through which effluent is discharged. Do not include information on combined sewer overflows in this section. If you answered "no" to question A.8.a, go to Part B, "Additional Application Information for Applicants with a Design Flow Greater than or Equal to 0.1 mgd."

**A.9. Description of Outfall.**

- a. Outfall number 001
- b. Location Rockville 23146  
(City or town, if applicable) (Zip Code)  
Hanover Virginia  
(County) (State)  
37° - 74' - 57" N 77° - 66' - 42" W  
(Latitude) (Longitude)
- c. Distance from shore (if applicable) N/A ft.
- d. Depth below surface (if applicable) N/A ft.
- e. Average daily flow rate \_\_\_\_\_ mgd
- f. Does this outfall have either an intermittent or a periodic discharge?  
\_\_\_\_\_ Yes \_\_\_\_\_ No (go to A.9.g.)  
If yes, provide the following information:  
Number of times per year discharge occurs: \_\_\_\_\_  
Average duration of each discharge: \_\_\_\_\_  
Average flow per discharge: \_\_\_\_\_ mgd  
Months in which discharge occurs: \_\_\_\_\_
- g. Is outfall equipped with a diffuser? \_\_\_\_\_ Yes X No

**A.10. Description of Receiving Waters.**

- a. Name of receiving water South Anna River
- b. Name of watershed (if known) York River  
United States Soil Conservation Service 14-digit watershed code (if known): \_\_\_\_\_
- c. Name of State Management/River Basin (if known): \_\_\_\_\_  
United States Geological Survey 8-digit hydrologic cataloging unit code (if known): \_\_\_\_\_
- d. Critical low flow of receiving stream (if applicable):  
acute \_\_\_\_\_ cfs chronic \_\_\_\_\_ cfs
- e. Total hardness of receiving stream at critical low flow (if applicable): \_\_\_\_\_ mg/l of CaCO<sub>3</sub>

**A.11. Description of Treatment.**

a. What levels of treatment are provided? Check all that apply.

☐ Primary ☒ Secondary  
☐ Advanced ☐ Other. Describe: \_\_\_\_\_

b. Indicate the following removal rates (as applicable):

Design BOD<sub>5</sub> removal or Design CBOD<sub>5</sub> removal 90 %  
Design SS removal 90 %  
Design P removal \_\_\_\_\_ %  
Design N removal \_\_\_\_\_ %  
Other NH3 90 %

c. What type of disinfection is used for the effluent from this outfall? If disinfection varies by season, please describe.

Chlorination

If disinfection is by chlorination, is dechlorination used for this outfall? ☒ Yes ☐ No

d. Does the treatment plant have post aeration? ☒ Yes ☐ No

**A.12. Effluent Testing Information.** All Applicants that discharge to waters of the US must provide effluent testing data for the following parameters. Provide the indicated effluent testing required by the permitting authority for each outfall through which effluent is discharged. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analysis conducted using 40 CFR Part 136 methods. In addition, this data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136. At a minimum, effluent testing data must be based on at least three samples and must be no more than four and one-half years apart.

Outfall number: 001

PARAMETER	MAXIMUM DAILY VALUE		AVERAGE DAILY VALUE		
	Value	Units	Value	Units	Number of Samples
pH (Minimum)	7.0	s.u.			
pH (Maximum)	8.5	s.u.			
Flow Rate	0.044	MGD	0.016	MGD	365
Temperature (Winter)	12 <sup>o</sup>	Deg C	12	Deg C	3
Temperature (Summer)	24 <sup>o</sup>	Deg C	24	Deg C	3

\* For pH please report a minimum and a maximum daily value

POLLUTANT	MAXIMUM DAILY DISCHARGE		AVERAGE DAILY DISCHARGE			ANALYTICAL METHOD	ML / MDL
	Conc.	Units	Conc.	Units	Number of Samples		

**CONVENTIONAL AND NONCONVENTIONAL COMPOUNDS.**

BIOCHEMICAL OXYGEN DEMAND (Report one)	BOD-5						
	CBOD-5	22.0	MG/L	3.08	MG/L	12	5210 B
FECAL COLIFORM							
TOTAL SUSPENDED SOLIDS (TSS)		6.2	MG/L	3.89	MG/L	12	160.2

**END OF PART A.**  
**REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM 2A YOU MUST COMPLETE**

## BASIC APPLICATION INFORMATION

### PART B. ADDITIONAL APPLICATION INFORMATION FOR APPLICANTS WITH A DESIGN FLOW GREATER THAN OR EQUAL TO 0.1 MGD (100,000 gallons per day).

All applicants with a design flow rate  $\geq 0.1$  mgd must answer questions B.1 through B.6. All others go to Part C (Certification).

**B.1. Inflow and Infiltration.** Estimate the average number of gallons per day that flow into the treatment works from inflow and/or infiltration.

\_\_\_\_\_ gpd

Briefly explain any steps underway or planned to minimize inflow and infiltration.

**B.2. Topographic Map.** Attach to this application a topographic map of the area extending at least one mile beyond facility property boundaries. This map must show the outline of the facility and the following information. (You may submit more than one map if one map does not show the entire area.)

- The area surrounding the treatment plant, including all unit processes.
- The major pipes or other structures through which wastewater enters the treatment works and the pipes or other structures through which treated wastewater is discharged from the treatment plant. Include outfalls from bypass piping, if applicable.
- Each well where wastewater from the treatment plant is injected underground.
- Wells, springs, other surface water bodies, and drinking water wells that are: 1) within 1/4 mile of the property boundaries of the treatment works, and 2) listed in public record or otherwise known to the applicant.
- Any areas where the sewage sludge produced by the treatment works is stored, treated, or disposed.
- If the treatment works receives waste that is classified as hazardous under the Resource Conservation and Recovery Act (RCRA) by truck, rail, or special pipe, show on the map where that hazardous waste enters the treatment works and where it is treated, stored, and/or disposed.

**B.3. Process Flow Diagram or Schematic.** Provide a diagram showing the processes of the treatment plant, including all bypass piping and all backup power sources or redundancy in the system. Also provide a water balance showing all treatment units, including disinfection (e.g., chlorination and dechlorination). The water balance must show daily average flow rates at influent and discharge points and approximate daily flow rates between treatment units. Include a brief narrative description of the diagram.

**B.4. Operation/Maintenance Performed by Contractor(s).**

Are any operational or maintenance aspects (related to wastewater treatment and effluent quality) of the treatment works the responsibility of a contractor? \_\_\_\_ Yes \_\_\_\_ No

If yes, list the name, address, telephone number, and status of each contractor and describe the contractor's responsibilities (attach additional pages if necessary).

Name: \_\_\_\_\_

Mailing Address: \_\_\_\_\_

Telephone Number: \_\_\_\_\_

Responsibilities of Contractor: \_\_\_\_\_

**B.5. Scheduled Improvements and Schedules of Implementation.** Provide information on any uncompleted implementation schedule or uncompleted plans for improvements that will affect the wastewater treatment, effluent quality, or design capacity of the treatment works. If the treatment works has several different implementation schedules or is planning several improvements, submit separate responses to question B.5 for each. (If none, go to question B.6.)

- a. List the outfall number (assigned in question A.9) for each outfall that is covered by this implementation schedule.

\_\_\_\_\_

- b. Indicate whether the planned improvements or implementation schedule are required by local, State, or Federal agencies.

\_\_\_\_ Yes \_\_\_\_ No

Missionary Learning Center

N/A

- c. If the answer to B.5.b is "Yes," briefly describe, including new maximum daily inflow rate (if applicable).
- \_\_\_\_\_

- d. Provide dates imposed by any compliance schedule or any actual dates of completion for the implementation steps listed below, as applicable. For improvements planned independently of local, State, or Federal agencies, indicate planned or actual completion dates, as applicable. Indicate dates as accurately as possible.

Implementation Stage	Schedule	Actual Completion
	MM / DD / YYYY	MM / DD / YYYY
- Begin construction	___/___/___	___/___/___
- End construction	___/___/___	___/___/___
- Begin discharge	___/___/___	___/___/___
- Attain operational level	___/___/___	___/___/___

- e. Have appropriate permits/clearances concerning other Federal/State requirements been obtained? ☐ Yes ☐ No

Describe briefly: \_\_\_\_\_

\_\_\_\_\_

#### B.6. EFFLUENT TESTING DATA (GREATER THAN 0.1 MGD ONLY).

Applicants that discharge to waters of the US must provide effluent testing data for the following parameters. Provide the indicated effluent testing required by the permitting authority for each outfall through which effluent is discharged. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analysis conducted using 40 CFR Part 136 methods. In addition, this data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136. At a minimum, effluent testing data must be based on at least three pollutant scans and must be no more than four and one-half years old.

Outfall Number: \_\_\_\_\_

POLLUTANT	MAXIMUM DAILY DISCHARGE		AVERAGE DAILY DISCHARGE			ANALYTICAL METHOD	ML / MDL
	Conc.	Units	Conc.	Units	Number of Samples		
CONVENTIONAL AND NONCONVENTIONAL COMPOUNDS.							
AMMONIA (as N)							
CHLORINE (TOTAL RESIDUAL, TRC)							
DISSOLVED OXYGEN							
TOTAL KJELDAHL NITROGEN (TKN)							
NITRATE PLUS NITRITE NITROGEN							
OIL and GREASE							
PHOSPHORUS (Total)							
TOTAL DISSOLVED SOLIDS (TDS)							
OTHER							

**END OF PART B.**  
**REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM 2A YOU MUST COMPLETE**

FACILITY NAME AND PERMIT NUMBER: VA 0067105  
Missionary Learning Center

Form Approved 1/14/99  
OMB Number 2040-0086

## BASIC APPLICATION INFORMATION

### PART C. CERTIFICATION

All applicants must complete the Certification Section. Refer to instructions to determine who is an officer for the purposes of this certification. All applicants must complete all applicable sections of Form 2A, as explained in the Application Overview. Indicate below which parts of Form 2A you have completed and are submitting. By signing this certification statement, applicants confirm that they have reviewed Form 2A and have completed all sections that apply to the facility for which this application is submitted.

Indicate which parts of Form 2A you have completed and are submitting:

☒ Basic Application Information packet

Supplemental Application Information packet:

☐ Part D (Expanded Effluent Testing Data)

☐ Part E (Toxicity Testing: Biomonitoring Data)

☐ Part F (Industrial User Discharges and RCRA/CERCLA Wastes)

☐ Part G (Combined Sewer Systems)

### ALL APPLICANTS MUST COMPLETE THE FOLLOWING CERTIFICATION.

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name and official title Gary N. Beaty - Facilities Director

Signature 

Telephone number (804) 620-3803

Date signed 12/12/07

Upon request of the permitting authority, you must submit any other information necessary to assess wastewater treatment practices at the treatment works or identify appropriate permitting requirements.

SEND COMPLETED FORMS TO:



FACILITY NAME AND PERMIT NUMBER: VA 0067105

Missionary Learning Center

Form Approved 1/14/99  
OMB Number 2040-0086

## SUPPLEMENTAL APPLICATION INFORMATION

## PART D. EXPANDED EFFLUENT TESTING DATA

Refer to the directions on the cover page to determine whether this section applies to the treatment works.

**Effluent Testing: 1.0 mgd and Pretreatment Treatment Works.** If the treatment works has a design flow greater than or equal to 1.0 mgd or it has (or is required to have) a pretreatment program, or is otherwise required by the permitting authority to provide the data, then provide effluent testing data for the following pollutants. Provide the indicated effluent testing information and any other information required by the permitting authority for each outfall through which effluent is discharged. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analyses conducted using 40 CFR Part 136 methods. In addition, these data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136. Indicate in the blank rows provided below any data you may have on pollutants not specifically listed in this form. At a minimum, effluent testing data must be based on at least three pollutant scans and must be no more than four and one-half years old.

Outfall number: \_\_\_\_\_ (Complete once for each outfall discharging effluent to waters of the United States.)

POLLUTANT	MAXIMUM DAILY DISCHARGE				AVERAGE DAILY DISCHARGE					ANALYTICAL METHOD	ML/MDL
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples		

## METALS (TOTAL RECOVERABLE), CYANIDE, PHENOLS, AND HARDNESS.

ANTIMONY											
ARSENIC											
BERYLLIUM											
CADMIUM											
CHROMIUM											
COPPER											
LEAD											
MERCURY											
NICKEL											
SELENIUM											
SILVER											
THALLIUM											
ZINC											
CYANIDE											
TOTAL PHENOLIC COMPOUNDS											
HARDNESS (AS CaCO <sub>3</sub> )											

Use this space (or a separate sheet) to provide information on other metals requested by the permit writer.


FACILITY NAME AND PERMIT NUMBER: VA 0067105

Missionary Learning Center

Form Approved 1/14/99  
OMB Number 2040-0086

Outfall number: \_\_\_\_\_ (Complete once for each outfall discharging effluent to waters of the United States.)

POLLUTANT	MAXIMUM DAILY DISCHARGE				AVERAGE DAILY DISCHARGE					ANALYTICAL METHOD	ML/MDL
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples		
VOLATILE ORGANIC COMPOUNDS.											
ACROLEIN											
ACRYLONITRILE											
BENZENE											
BROMOFORM											
CARBON TETRACHLORIDE											
CLOROBENZENE											
CHLORODIBROMO-METHANE											
CHLOROETHANE											
2-CHLORO-ETHYL VINYL ETHER											
CHLOROFORM											
DICHLOROBROMO-METHANE											
1,1-DICHLOROETHANE											
1,2-DICHLOROETHANE											
TRANS-1,2-DICHLORO-ETHYLENE											
1,1-DICHLOROETHYLENE											
1,2-DICHLOROPROPANE											
1,3-DICHLORO-PROPYLENE											
ETHYLBENZENE											
METHYL BROMIDE											
METHYL CHLORIDE											
METHYLENE CHLORIDE											
1,1,2,2-TETRACHLORO-ETHANE											
TETRACHLORO-ETHYLENE											
TOLUENE											

FACILITY NAME AND PERMIT NUMBER: VA 0067105

Missionary Learning Center

Form Approved 1/14/99  
OMB Number 2040-0086

Outfall number: \_\_\_\_\_ (Complete once for each outfall discharging effluent to waters of the United States.)

POLLUTANT	MAXIMUM DAILY DISCHARGE				AVERAGE DAILY DISCHARGE					ANALYTICAL METHOD	ML/MDL
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples		
1,1,1-TRICHLOROETHANE											
1,1,2-TRICHLOROETHANE											
TRICHLOROETHYLENE											
VINYL CHLORIDE											

Use this space (or a separate sheet) to provide information on other volatile organic compounds requested by the permit writer.

--	--	--	--	--	--	--	--	--	--	--	--

## ACID-EXTRACTABLE COMPOUNDS

P-CHLORO-M-CRESOL											
2-CHLOROPHENOL											
2,4-DICHLOROPHENOL											
2,4-DIMETHYLPHENOL											
4,6-DINITRO-O-CRESOL											
2,4-DINITROPHENOL											
2-NITROPHENOL											
4-NITROPHENOL											
PENTACHLOROPHENOL											
PHENOL											
2,4,6-TRICHLOROPHENOL											

Use this space (or a separate sheet) to provide information on other acid-extractable compounds requested by the permit writer.

--	--	--	--	--	--	--	--	--	--	--	--

## BASE-NEUTRAL COMPOUNDS.

ACENAPHTHENE											
ACENAPHTHYLENE											
ANTHRACENE											
BENZIDINE											
BENZO(A)ANTHRACENE											

BENZO(A)PYRENE

FACILITY NAME AND PERMIT NUMBER: VA 0067105

Missionary Learning Center

Form Approved 1/14/99  
OMB Number 2040-0086

Outfall number: \_\_\_\_\_ (Complete once for each outfall discharging effluent to waters of the United States.)

POLLUTANT	MAXIMUM DAILY DISCHARGE				AVERAGE DAILY DISCHARGE					ANALYTICAL METHOD	ML/MDL
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples		
3,4 BENZO-FLUORANTHENE											
BENZO(GH)PERYLENE											
BENZO(K)FLUORANTHENE											
BIS (2-CHLOROETHOXY) METHANE											
BIS (2-CHLOROETHYL)-ETHER											
BIS (2-CHLOROISO-PROPYL) ETHER											
BIS (2-ETHYLHEXYL) PHTHALATE											
4-BROMOPHENYL PHENYL ETHER											
BUTYL BENZYL PHTHALATE											
2-CHLORONAPHTHALENE											
4-CHLORPHENYL PHENYL ETHER											
CHRYSENE											
DI-N-BUTYL PHTHALATE											
DI-N-OCTYL PHTHALATE											
DIBENZO(A,H) ANTHRACENE											
1,2-DICHLOROBENZENE											
1,3-DICHLOROBENZENE											
1,4-DICHLOROBENZENE											
3,3-DICHLOROBENZIDINE											
DIETHYL PHTHALATE											
DIMETHYL PHTHALATE											
2,4-DINITROTOLUENE											
2,6-DINITROTOLUENE											

1,2-DIPHENYLHYDRAZINE

FACILITY NAME AND PERMIT NUMBER: VA 0067105

Form Approved 1/14/99  
OMB Number 2040-0086

Missionary Learning Center

Outfall number: \_\_\_\_\_ (Complete once for each outfall discharging effluent to waters of the United States.)

POLLUTANT	MAXIMUM DAILY DISCHARGE				AVERAGE DAILY DISCHARGE					ANALYTICAL METHOD	ML/MDL
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples		
FLUORANTHENE											
FLUORENE											
HEXACHLOROBENZENE											
HEXACHLOROBUTADIENE											
HEXACHLOROCYCLO-PENTADIENE											
HEXACHLOROETHANE											
INDENO(1,2,3-CD)PYRENE											
ISOPHORONE											
NAPHTHALENE											
NITROBENZENE											
N-NITROSODI-N-PROPYLAMINE											
N-NITROSODI- METHYLAMINE											
N-NITROSODI-PHENYLAMINE											
PHENANTHRENE											
PYRENE											
1,2,4-TRICHLOROBENZENE											

Use this space (or a separate sheet) to provide information on other base-neutral compounds requested by the permit writer.

Use this space (or a separate sheet) to provide information on other pollutants (e.g., pesticides) requested by the permit writer.

**END OF PART D.**  
**REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM 2A YOU MUST COMPLETE**

**SUPPLEMENTAL APPLICATION INFORMATION****PART E. TOXICITY TESTING DATA**

POTWs meeting one or more of the following criteria must provide the results of whole effluent toxicity tests for acute or chronic toxicity for each of the facility's discharge points: 1) POTWs with a design flow rate greater than or equal to 1.0 mgd; 2) POTWs with a pretreatment program (or those that are required to have one under 40 CFR Part 403); or 3) POTWs required by the permitting authority to submit data for these parameters.

- At a minimum, these results must include quarterly testing for a 12-month period within the past 1 year using multiple species (minimum of two species), or the results from four tests performed at least annually in the four and one-half years prior to the application, provided the results show no appreciable toxicity, and testing for acute and/or chronic toxicity, depending on the range of receiving water dilution. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analysis conducted using 40 CFR Part 136 methods. In addition, this data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136.
- In addition, submit the results of any other whole effluent toxicity tests from the past four and one-half years. If a whole effluent toxicity test conducted during the past four and one-half years revealed toxicity, provide any information on the cause of the toxicity or any results of a toxicity reduction evaluation, if one was conducted.
- If you have already submitted any of the information requested in Part E, you need not submit it again. Rather, provide the information requested in question E.4 for previously submitted information. If EPA methods were not used, report the reasons for using alternate methods. If test summaries are available that contain all of the information requested below, they may be submitted in place of Part E.

If no biomonitoring data is required, do not complete Part E. Refer to the Application Overview for directions on which other sections of the form to complete.

**E.1. Required Tests.**

Indicate the number of whole effluent toxicity tests conducted in the past four and one-half years.

\_\_\_\_\_ chronic \_\_\_\_\_ acute

**E.2. Individual Test Data.** Complete the following chart for each whole effluent toxicity test conducted in the last four and one-half years. Allow one column per test (where each species constitutes a test). Copy this page if more than three tests are being reported.

Test number: \_\_\_\_\_ Test number: \_\_\_\_\_ Test number: \_\_\_\_\_

**a. Test information.**

Test species & test method number			
Age at initiation of test			
Outfall number			
Dates sample collected			
Date test started			
Duration			

**b. Give toxicity test methods followed.**

Manual title			
Edition number and year of publication			
Page number(s)			

**c. Give the sample collection method(s) used. For multiple grab samples, indicate the number of grab samples used.**

24-Hour composite			
Grab			

**d. Indicate where the sample was taken in relation to disinfection. (Check all that apply for each)**

Before disinfection			
After disinfection			
After dechlorination			

FACILITY NAME AND PERMIT NUMBER: VA 0067105

Form Approved 1/14/99  
OMB Number 2040-0086

Missionary Learning Center

Test number: \_\_\_\_\_

Test number: \_\_\_\_\_

Test number: \_\_\_\_\_

e. Describe the point in the treatment process at which the sample was collected.

Sample was collected: \_\_\_\_\_

f. For each test, include whether the test was intended to assess chronic toxicity, acute toxicity, or both.

Chronic toxicity

Acute toxicity

g. Provide the type of test performed.

Static

Static-renewal

Flow-through

h. Source of dilution water. If laboratory water, specify type; if receiving water, specify source.

Laboratory water

Receiving water

i. Type of dilution water. If salt water, specify "natural" or type of artificial sea salts or brine used.

Fresh water

Salt water

j. Give the percentage effluent used for all concentrations in the test series.

k. Parameters measured during the test. (State whether parameter meets test method specifications)

pH

Salinity

Temperature

Ammonia

Dissolved oxygen

l. Test Results.

Acute:

Percent survival in 100%  
effluent

%

%

%

LC<sub>50</sub>

95% C.I.

Control percent survival

Other (describe)

%

%

%

%

%

%

FACILITY NAME AND PERMIT NUMBER: VA 0067105

Missionary Learning Center

Form Approved 1/14/99  
OMB Number 2040-0086

Chronic:

NOEC	%	%	%
IC <sub>25</sub>	%	%	%
Control percent survival	%	%	%
Other (describe)			

m. Quality Control/Quality Assurance.

Is reference toxicant data available?			
Was reference toxicant test within acceptable bounds?			
What date was reference toxicant test run (MM/DD/YYYY)?			
Other (describe)			

**E.3. Toxicity Reduction Evaluation.** Is the treatment works involved in a Toxicity Reduction Evaluation?

\_\_\_\_ Yes \_\_\_\_ No

If yes, describe:

---

**E.4. Summary of Submitted Biomonitoring Test Information.** If you have submitted biomonitoring test information, or information regarding the cause of toxicity, within the past four and one-half years, provide the dates the information was submitted to the permitting authority and a summary of the results.

Date submitted: \_\_\_\_\_ (MM/DD/YYYY)

Summary of results: (see instructions)

---

---

**END OF PART E.****REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM 2A YOU MUST COMPLETE.**



Missionary Learning Center

**SUPPLEMENTAL APPLICATION INFORMATION****PART F. INDUSTRIAL USER DISCHARGES AND RCRA/CERCLA WASTES**

All treatment works receiving discharges from significant industrial users or which receive RCRA, CERCLA, or other remedial wastes must complete Part F.

**GENERAL INFORMATION:**

**F.1. Pretreatment Program.** Does the treatment works have, or is it subject to, an approved pretreatment program?

\_\_\_ Yes \_\_\_ No

**F.2. Number of Significant Industrial Users (SIUs) and Categorical Industrial Users (CIUs).** Provide the number of each of the following types of industrial users that discharge to the treatment works.

a. Number of non-categorical SIUs. \_\_\_\_\_

b. Number of CIUs. \_\_\_\_\_

**SIGNIFICANT INDUSTRIAL USER INFORMATION:**

Supply the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through F.8 and provide the information requested for each SIU.

**F.3. Significant Industrial User Information.** Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.

Name: \_\_\_\_\_

Mailing Address: \_\_\_\_\_

**F.4. Industrial Processes.** Describe all of the industrial processes that affect or contribute to the SIU's discharge.

\_\_\_\_\_

**F.5. Principal Product(s) and Raw Material(s).** Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.

Principal product(s): \_\_\_\_\_

Raw material(s): \_\_\_\_\_

**F.6. Flow Rate.**

a. Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.

\_\_\_\_\_ gpd (\_\_\_ continuous or \_\_\_ intermittent)

b. Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.

\_\_\_\_\_ gpd (\_\_\_ continuous or \_\_\_ intermittent)

**F.7. Pretreatment Standards.** Indicate whether the SIU is subject to the following:

a. Local limits \_\_\_ Yes \_\_\_ No

b. Categorical pretreatment standards \_\_\_ Yes \_\_\_ No

If subject to categorical pretreatment standards, which category and subcategory?

\_\_\_\_\_

Missionary Learning Center

**F.8. Problems at the Treatment Works Attributed to Waste Discharged by the SIU.** Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years?

☐ Yes ☐ No If yes, describe each episode.

\_\_\_\_\_  
\_\_\_\_\_

**RCRA HAZARDOUS WASTE RECEIVED BY TRUCK, RAIL, OR DEDICATED PIPELINE:**

**F.9. RCRA Waste.** Does the treatment works receive or has it in the past three years received RCRA hazardous waste by truck, rail, or dedicated pipe?  
☐ Yes ☐ No (go to F.12.)

**F.10. Waste Transport.** Method by which RCRA waste is received (check all that apply):

☐ Truck ☐ Rail ☐ Dedicated Pipe

**F.11. Waste Description.** Give EPA hazardous waste number and amount (volume or mass, specify units).

<u>EPA Hazardous Waste Number</u>	<u>Amount</u>	<u>Units</u>
_____	_____	_____
_____	_____	_____
_____	_____	_____

**CERCLA (SUPERFUND) WASTEWATER, RCRA REMEDIATION/CORRECTIVE ACTION WASTEWATER, AND OTHER REMEDIAL ACTIVITY WASTEWATER:**

**F.12. Remediation Waste.** Does the treatment works currently (or has it been notified that it will) receive waste from remedial activities?

☐ Yes (complete F.13 through F.15.) ☐ No

Provide a list of sites and the requested information (F.13 - F.15.) for each current and future site.

**F.13. Waste Origin.** Describe the site and type of facility at which the CERCLA/RCRA/or other remedial waste originates (or is expected to originate in the next five years).

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**F.14. Pollutants.** List the hazardous constituents that are received (or are expected to be received). Include data on volume and concentration, if known. (Attach additional sheets if necessary).

\_\_\_\_\_  
\_\_\_\_\_

**F.15. Waste Treatment.**

a. Is this waste treated (or will it be treated) prior to entering the treatment works?

☐ Yes ☐ No

If yes, describe the treatment (provide information about the removal efficiency):

\_\_\_\_\_  
\_\_\_\_\_

b. Is the discharge (or will the discharge be) continuous or intermittent?

☐ Continuous ☐ Intermittent If intermittent, describe discharge schedule.

**END OF PART F.**  
**REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM 2A YOU MUST COMPLETE**

Missionary Learning Center

**SUPPLEMENTAL APPLICATION INFORMATION****PART G. COMBINED SEWER SYSTEMS****If the treatment works has a combined sewer system, complete Part G.****G.1. System Map.** Provide a map indicating the following: (may be included with Basic Application Information)

- All CSO discharge points.
- Sensitive use areas potentially affected by CSOs (e.g., beaches, drinking water supplies, shellfish beds, sensitive aquatic ecosystems, and outstanding natural resource waters).
- Waters that support threatened and endangered species potentially affected by CSOs.

**G.2. System Diagram.** Provide a diagram, either in the map provided in G.1. or on a separate drawing, of the combined sewer collection system that includes the following information:

- Locations of major sewer trunk lines, both combined and separate sanitary.
- Locations of points where separate sanitary sewers feed into the combined sewer system.
- Locations of in-line and off-line storage structures.
- Locations of flow-regulating devices.
- Locations of pump stations.

**CSO OUTFALLS:****Complete questions G.3 through G.6 once for each CSO discharge point.****G.3. Description of Outfall.**

- Outfall number \_\_\_\_\_
- Location \_\_\_\_\_  
(City or town, if applicable) (Zip Code)  
\_\_\_\_\_  
(County) (State)  
\_\_\_\_\_  
(Latitude) (Longitude)
- Distance from shore (if applicable) \_\_\_\_\_ ft.
- Depth below surface (if applicable) \_\_\_\_\_ ft.
- Which of the following were monitored during the last year for this CSO?  
\_\_\_\_ Rainfall      \_\_\_\_ CSO pollutant concentrations      \_\_\_\_ CSO frequency  
\_\_\_\_ CSO flow volume      \_\_\_\_ Receiving water quality
- How many storm events were monitored during the last year? \_\_\_\_\_

**G.4. CSO Events.**

- Give the number of CSO events in the last year.  
\_\_\_\_\_ events (\_\_\_\_ actual or \_\_\_\_ approx.)
- Give the average duration per CSO event.  
\_\_\_\_\_ hours (\_\_\_\_ actual or \_\_\_\_ approx.)

Missionary Learning Center

c. Give the average volume per CSO event.

\_\_\_\_\_ million gallons (\_\_\_\_\_ actual or \_\_\_\_\_ approx.)

d. Give the minimum rainfall that caused a CSO event in the last year.

\_\_\_\_\_ inches of rainfall

**G.5. Description of Receiving Waters.**

a. Name of receiving water: \_\_\_\_\_

b. Name of watershed/river/stream system: \_\_\_\_\_

United States Soil Conservation Service 14-digit watershed code (if known): \_\_\_\_\_

c. Name of State Management/River Basin: \_\_\_\_\_

United States Geological Survey 8-digit hydrologic cataloging unit code (if known): \_\_\_\_\_

**G.6. CSO Operations.**

Describe any known water quality impacts on the receiving water caused by this CSO (e.g., permanent or intermittent beach closings, permanent or intermittent shell fish bed closings, fish kills, fish advisories, other recreational loss, or violation of any applicable State water quality standard).

\_\_\_\_\_

\_\_\_\_\_

**END OF PART G.****REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM  
2A YOU MUST COMPLETE.**